

Built-In Collection

Welcome to the world of Beko Built-In appliances where functionality, elegance and style blend in full harmony.

A wide product range that lets you create a kitchen where personal preferences and technology fit perfectly together.

A range of appliances that provide intelligent solutions for all your cooking, washing and cooling needs.

A collection designed to improve your everyday life.



5 Refrigerators

1 Ovens

3 Hoods

2 Hobs

4 Dishwashers

p 4

1

p 16

2

p 24

3

p 34

4

p 58

5



The kitchen has become a focal point of our homes. It is a place where families gather and friends meet; a place where we feel comfortable and enjoy each other's company; a place where we spend time and effort to create a pleasant environment for ourselves and our loved ones. The kitchen of our dreams is an expression of our choices. We all want the freedom to choose. With its four distinctive lines, this is exactly what the Beko Built-In Collection offers.



Sleek & trendy



With shining glass surfaces at its core, the Vitreous Line reflects the beauty of your kitchen.



The Prime Line is characterized by its stainless steel finish and superior product features.



Modern Classics



The Classic Line combines stainless steel surfaces and core product features in a modern and attractive design.



Compact
& functional



*The Compact Line
offers maximum
functionality in
minimal space.*

1

Ovens





Internationally recognized design excellence

The Beko oven model OIM 25500 X received the 2009 IF Design Award for its excellence in design and functionality.

One of the most reputable design awards in Europe, the IF Design Award is granted by IF International Forum Design GmbH, a German organisation that evaluates hundreds of candidates every year in the categories of design quality, innovation, choice of material, workmanship, ergonomics, safety, and functionality, granting an award to those that stand out in each class.



The easy-to-use control panel is equipped with push-in pop-out knobs and an electronic programmer with animated display.



The electronic programmer with animated display enables the user to navigate with symbols that are easy to read - even for the elderly. The display shows the selected cooking function, as well as the recommended tray level for best cooking results.

Cooking duration can be programmed for an immediate or delayed start. Cooking temperature can be set between 40 °C and 280 °C, at intervals as precise as 5 °C.

Award-winning ovens for your home

Super Energy Saver 20% more energy saving than A class

A-20%

All Beko ovens feature A-class energy efficiency, delivering excellent cooking performance with minimum energy consumption. During fan heating, the multi-function Beko oven consumes 20% less energy than the standards outlined by "A" energy efficiency class.



Fingerprint-free Stainless Steel

The Prime Line oven control panels are fingerprint-free stainless steel. Thanks to a special coating on the stainless steel surface, all fingerprints are avoided, and the appliance always maintains a spotless, clean, and shiny surface.



PractiClean

Constructed with a full glass panel, the interior of the door is free of bolts, making it easy to clean with a single wipe.

Every Beko Built-In oven is equipped with this easy-to-clean full glass door. For more extensive cleaning, the inner glass can be removed with an apparatus*.

* on selected models



Made of a single piece, the oven cavity is free of bolts, welding lines, intersection points, or any other dirt traps that can turn cleaning the interiors into a difficult chore. You can run your hand around each and every corner of the oven cavity without encountering a single snag.

When cleaning the interior, the side racks that are tightly fixed to the oven cavity can be easily detached without need of a tool.



The catalytic panel mounted on the back wall of the oven cavity absorbs grease and reduces odors during cooking, making it easier to clean the oven without the need for heavy-duty cleansers.



King-size Interior

When it comes to capacity, bigger is definitely better. Despite its standard dimensions, the 65-liter* Beko oven has among the most spacious interiors in its class. The king-size interior provides enough room to roast a big turkey, or prepare a big feast for family and friends. It's convenient for large families, or anybody who wants to get the most out of a standard built-in oven.

* for multifunction ovens



Family Tray

Thanks to the king-size interior, Beko oven trays are large enough to cook up to 25 % more food in one go - an intelligent feature that makes it easier to cook large meals. In addition to its size, the 55 mm-deep tray is ideally suited for roasting or baking.



Luminous Interior

Besides the back-wall lamp, selected oven models are equipped with an additional lamp placed on the right wall for improved illumination and added convenience.



Pyrolytic Self-Cleaning

Removing greasy stains that accumulate in the oven over time can be a burden. Beko pyrolytic ovens save you the trouble of scrubbing those hard-to-reach surfaces. The 120-minute pyrolytic self-cleaning cycle burns stubborn stains to fine ash as your oven heats itself to 500 °C. The ash can then be simply wiped away with a piece of cloth, without need of any detergents or chemicals. For less dirty ovens, you can use the shorter 90-minute eco-pyrolytic cycle which saves 25% on energy consumption.



State-of-the-art technology for healthy and wholesome meals



Strong Oven Door
The door hinges have a sleek yet strong and durable design. Due to the solidity of the hinges, the door can carry a load as heavy as 22.5 kg, which is over 20 % more than standard oven doors. That means you can place your fully loaded trays on the door without any worry.



Side Opening
The new side-hinge ovens ensure easy access to the interior along with optimum user convenience.



Door Lock & Key Lock
Beko ovens with electronic programmers are equipped with a door and key locking option to prevent the little ones from playing with the settings or opening the door while the oven is in operation. Classic and Comfort Line ovens can be equipped with a mechanical child-lock feature that can be installed as an additional accessory.



Cool Door
Thanks to four layers of glass on the oven door, the surface temperature never exceeds 70 °C even during the pyrolytic cycle, when the inner temperature of the oven can reach up to 500 °C. During standard cooking, the door's temperature remains as low as 50 °C.

On multifunction ovens with three layers of glass, the surface temperature of the door never exceeds 70 °C during cooking, thus preventing any accidental burns.



Pull-out Shelf System
The extending arms of the telescopic pull-out shelf system enables easy and safe access to the cooking tray.



Silent operation for a peaceful home environment
Beko ovens operate silently even during fan cooking.



OdorFree Cooking
Built-in ovens continuously circulate air to cool themselves down so that the heat generated does not harm the kitchen cabinets. Depending on the type of food being cooked, this working principle may come with a major drawback: unwanted food odors spreading throughout your kitchen.

Selected Beko ovens are equipped with a special odor-filtering system. Comprised of a heater that actively burns the greasy particles, along with a catalyzer that filters the circulated air during cooking, this filtering system ensures that the kitchen environment remains free of noxious smells and greasy vapours.

Because the pyrolytic cleaning cycle can also generate unwanted odors, Beko pyrolytic ovens are equipped with a catalyzer that filters air during this cycle, thus ridding it of the smell of burned grease and harmful CO gasses.



Explore a world of culinary delight with flexible and energy-efficient functions



Conventional Cooking
The top and bottom heating elements operate without the fan. This provides a traditional style of cooking suitable for baking cakes, cookies and delicate pastries.



Fan-Assisted Cooking
This function provides for the even distribution of heat generated by the upper and lower heating elements, thus accelerating cooking time and ensuring even baking.



Fan Heating
You can use this function for the ultimate roast or the perfect batch of pastries. The heating element surrounding the fan provides uniform heat distribution for even cooking results.



Fan Grilling
This function is perfect for cooking crispy fish, chicken fillets, or meat cutlets. The fan circulates the heat for all-over cooking.



Strong Grill
The perfect option for quick grilling. Toast your favorite meals or finish off your recipes with a crispy top.



Low Grill
Ideal for grilling a relatively smaller amount of food, such as snacks or toast. The low grilling function activates only the middle part of the upper heater, which means energy is used more effectively, thus minimizing waste.



MDC Multidimensional Cooking
Multidimensional cooking is the new generation of professional cooking technology that activates all heating elements on a multidimensional level. The upper, lower, and fan heating elements - combined with the fan - all work simultaneously to provide the most even heat and temperature distribution possible. The MDC function enables multi-tray cooking. Up to three different dishes can be cooked at the same time, without mixing flavors and aromas.



Slow Cooking
Cooking a delicious meal worthy of a chef requires patience. The SlowCook function slows down the cooking pace just enough to fully preserve the juice, aroma and flavor of the food, along with essential nutrients. For a crispier browned top, finish off your recipe with some low grilling.



Pizza Cooking
The bottom heating element, fan, and fan heating element operate simultaneously, providing the ideal conditions for baking pizza.



Save cooking time: Booster function for quick pre-heating
The booster function activates all heaters for quick pre-heating to reach the set cooking temperature. On Vitreous Line and Prime Line ovens, the booster function can reduce the time required to reach the desired oven temperature by up to 35%.



Bottom Heater
The concealed bottom heater is ideal for browning from the base.




Defrosting / Cooling
In defrost mode, no heating elements are used. Only the fan is activated to circulate air inside the oven. Frozen food is gently defrosted at room temperature, or cooked food is cooled.



Warm Keeping
This can be used to keep cooked dishes warm on the side, as well as to warm up plates or cups before serving. Temperature is automatically controlled. On Vitreous and Prime Line ovens, the temperature of this function can be adjusted in 5 °C intervals between 40 °C and 100 °C. It can also be used for yoghurt making or dough raising.



OIM 25600 XP
Pyrolytic multifunction oven with 12 cooking functions




- Main Features**
- Easy to use touch control programmer
 - Pyrolytic and eco pyrolytic cleaning programmes
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Cool door with four glass layers
 - Electronic key lock
 - Interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hxxwx): 595 x 594 x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf



OIM 25600 X
Multifunction oven with 12 cooking functions




- Main Features**
- Easy to use touch control programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic key lock
 - Dual interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels
 - Catalytic back wall

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hxxwx): 595 x 594 x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf
 - Telescopic pull-out shelf system



OIM 25600 XL
Multifunction oven with 12 cooking functions



- Main Features**
- Easy to use touch control programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Side opening front door
 - Electronic key lock
 - Dual interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels
 - Catalytic back wall


- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hxxwx): 595 x 594 x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf
 - Telescopic pull-out shelf system

OIM 25600 XR: Right opening door



OIM 25500 X
Pyrolytic multifunction oven with 12 cooking functions




- Main Features**
- Easy to use electronic programmer
 - Pyrolytic and eco pyrolytic cleaning programmes
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Cool door with four glass layers
 - Electronic key lock
 - Interior lighting
 - Easy to clean & removable full glass inner door
 - OdorFree Cooking
 - Fingerprint free stainless steel
 - Easily detachable side racks, 5 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hxxwx): 595 x 594 x 567 mm

- Accessories**
- Turnspit
 - Cooking tray
 - Deep tray
 - Wire shelf
 - Telescopic pull-out shelf system



OIM 25500 XP
Pyrolytic multifunction oven with 12 cooking functions




- Main Features**
- Easy to use electronic programmer
 - Pyrolytic and eco pyrolytic cleaning programmes
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Cool door with four glass layers
 - Pop-out rotary knobs and push-buttons
 - Electronic key lock
 - Interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hxxwx): 595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf



OIM 25502 X
Multifunction oven with 12 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic key lock
 - Pop-out rotary knobs and push-buttons
 - Dual interior lighting
 - Easy to clean & removable full glass inner door
 - OdorFree Cooking
 - Easily detachable side racks, 5 levels
 - Catalytic back wall

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hxxwx): 595 x 594 x 567 mm


- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf
 - Telescopic pull-out shelf system





OIM 25501 X

Multifunction oven with 12 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic key lock
 - Pop-out rotary knobs and push-buttons
 - Dual interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels
 - Catalytic back wall


- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd): 595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf
 - Telescopic pull-out shelf system



OIM 25500 XL

Multifunction oven with 12 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic key lock
 - Pop-out rotary knobs and push-buttons
 - Side opening front door
 - Dual interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels
 - Catalytic back wall


- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd): 595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf
 - Telescopic pull-out shelf system



OIE 25500 X

Multifunction oven with 8 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Fan assisted cooking
 - Warm Keeping
 - Electronic key lock
 - Interior lighting
 - Easy to clean full glass inner door
 - Easily detachable side racks, 5 levels
 - Catalytic back wall


- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd): 595 x 594 x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf



OIM 24500 BP

Pyrolytic multifunction oven with 12 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Pyrolytic and eco pyrolytic cleaning programmes
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Cool door with four glass layers
 - Electronic key lock
 - Pop-out rotary knobs and push-buttons
 - Interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd): 595 x 594 x 567 mm


- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf

OIM 24500 WP: White



OIM 24500 B

Multifunction oven with 12 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic child lock
 - Pop-out rotary knobs and push-buttons
 - Interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels
 - Catalytic back wall


- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd): 595 x 594 x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf
 - Telescopic pull-out shelf system



OIM 24500 W

Multifunction oven with 12 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic key lock
 - Pop-out rotary knobs and push-buttons
 - Interior lighting
 - Easy to clean & removable full glass inner door
 - Easily detachable side racks, 5 levels
 - Catalytic back wall

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd): 595 x 594 x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf



OIM 25300 X

Multifunction oven with 8 cooking functions



Main Features

- Easy to use digital programmer
- Multidimensional cooking function for multi-tray cooking
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (h x w x d): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf



OIE 24300 B

Multifunction oven with 6 cooking functions



Main Features

- Easy to use digital programmer
- Booster function for quick pre-heating
- Fan assisted cooking
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (h x w x d): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf



OIE 24300 W

Multifunction oven with 6 cooking functions



Main Features

- Easy to use digital programmer
- Booster function for quick pre-heating
- Fan assisted cooking
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (h x w x d): 595 x 594 x 567 mm


Accessories

- Cooking tray
- Deep tray
- Wire shelf



OIM 22500 XP

Pyrolytic multifunction oven with 12 cooking functions



Main Features

- Easy to use electronic programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function for multi-tray cooking
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easy to clean & removable full glass inner door
- Fingerprint free stainless steel
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (h x w x d): 595 x 594 x 567 mm


Accessories

- Baking tray
- Deep tray
- Wire shelf



OIM 22500 X

Multifunction oven with 12 cooking functions



Main Features

- Easy to use electronic programmer
- Multidimensional cooking function for multi-tray cooking
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Dual interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels
- Fingerprint free stainless steel
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (h x w x d): 595 x 594 x 567 mm


Accessories

- Baking tray
- Deep tray
- Wire shelf



OIM 22500 XL

Multifunction oven with 12 cooking functions



Main Features

- Easy to use electronic programmer
- Multidimensional cooking function for multi-tray cooking
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Side opening front door
- Dual interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels
- Fingerprint free stainless steel
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (h x w x d): 595 x 594 x 567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf



OIE 22500 X
Multifunction oven with
8 cooking functions



- Main Features**
- Easy to use electronic programmer
 - Fan assisted cooking
 - Warm Keeping
 - Electronic key lock
 - Interior lighting
 - Easy to clean full glass inner door
 - Easily detachable side racks, 5 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf



OIM 22300 X
Multifunction oven with
8 cooking functions



- Main Features**
- Easy to use digital programmer
 - Multidimensional cooking function for multi-tray cooking
 - Electronic key lock
 - Interior lighting
 - Enamelled cavity
 - Easy to clean full glass inner door

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Baking tray
 - Wire shelf

OIM 22301 X: Fingerprint stainless steel



OIE 22300 X
Multifunction oven with
6 cooking functions



- Main Features**
- Easy to use digital programmer
 - Booster function for quick pre-heating
 - Fan assisted cooking
 - Electronic key lock
 - Interior lighting
 - Easy to clean full glass inner door
 - Easily detachable side racks, 5 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf



OIM 22100 X
Multifunction oven with
8 cooking functions



- Main Features**
- Easy to use mechanic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Interior lighting
 - Easy to clean full glass inner door
 - Easy to remove side racks, 3 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Baking tray
 - Wire shelfBaking tray
 - Deep tray
 - Wire shelf



OIE 22101 X
Multifunction oven with
6 cooking functions



- Main Features**
- Easy to use mechanic programmer
 - Booster function for quick pre-heating
 - Fan assisted cooking
 - Interior lighting
 - Easy to clean full glass inner door
 - Easy to remove side racks, 3 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf



OIC 22101 X
Conventional Oven with
4 cooking functions



- Main Features**
- Easy to use mechanic programmer
 - Interior lighting
 - Easy to clean full glass inner door
 - Easy to remove side racks, 3 levels
 - Catalytic side walls with wire racks
 - Electric grill

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 67.5 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Wire shelf



OIE 22100 X
Multifunction oven with
6 cooking functions



- Main Features**
- Easy to use mechanic programmer
 - Booster function for quick pre-heating
 - Fan assisted cooking
 - Interior lighting
 - Easy to clean full glass inner door

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Baking tray
 - Wire shelf



OIE 22000 X
Multifunction oven with
6 cooking functions



- Main Features**
- Booster function for quick pre-heating
 - Fan assisted cooking
 - Interior lighting
 - Easy to clean full glass inner door

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Wire shelf



OIC 22100 X
Conventional Oven with
4 cooking functions



- Main Features**
- Easy to use mechanic programmer
 - Interior lighting
 - Easy to clean full glass inner door
 - Enamelled cavity
 - Electric grill

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 67.5 litres
 - Product Dimensions (hwxwd):
595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Wire shelf



OIC 22000 X
Conventional Oven with
4 cooking functions



- Main Features**
- Interior lighting
 - Easy to clean full glass inner door
 - Enamelled cavity
 - Electric grill
- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 67.5 litres
 - Product Dimensions (hxwx): 595 x 594 x 567 mm
- Accessories**
- Cooking tray
 - Wire shelf



OIC 21000 X
Conventional Oven with
4 cooking functions



- Main Features**
- Interior lighting
 - Easy to clean full glass inner door
 - Enamelled cavity
 - Electric grill
- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 67.5 litres
 - Product Dimensions (hxwx): 595 x 594 x 567 mm
- Accessories**
- Cooking tray
 - Wire shelf
- OIC 21000 W: White colour with painted glass door



OIE 21200 CU
Multifunction rustic oven with
6 cooking functions

- Main Features**
- Easy to use analogue programmer
 - Booster function for quick pre-heating
 - Fan assisted cooking
 - Interior lighting
 - Easy to clean full glass inner door
 - Easily detachable side racks, 5 levels

- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (hxwx): 595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf

OIE 21200 WU: White



OIG 12101 X
Gas oven with electric
grill functions

- Main Features**
- Easy to use mechanic programmer
 - Integrated electronic ignition
 - Flame failure device
 - Interior lighting
 - Easy to remove side racks

- Technical Features**
- Natural Gas usage for G20-20 Mbar
 - Adaptable to G30-30 Natural Gas
 - Cavity Volume: 49 litres
 - Product Dimensions (hxwx): 594 x 596 x 550 mm

- Accessories**
- Cooking tray
 - Wire shelf
 - Turnspit

OIG 14101 W: White w/o turnspit
OIG 14101 B: Black w/o turnspit



OIG 12100 X
Gas oven with gas
grill functions

- Main Features**
- Easy to use mechanic programmer
 - Integrated electronic ignition
 - Flame failure device
 - Interior lighting
 - Easy to remove side racks

- Technical Features**
- Natural Gas usage for G20-20 Mbar
 - Adaptable to G30-30 Natural Gas
 - Cavity Volume: 40 litres
 - Product Dimensions (hxwx): 594 x 596 x 550 mm

- Accessories**
- Cooking tray
 - Wire shelf
 - Turnspit

OIG 14100 W: White w/o turnspit
OIG 14100 B: Black w/o turnspit




OIW 19900 X
90 cm Multifunction oven with 8 cooking functions

- Main Features**
- Easy to use digital programmer
 - Electronic child lock
 - Defrosting system
 - Interior lighting
 - Side racks
- Technical Features**
- B energy efficiency class
 - Extra Large Oven Cavity Volume: 100 litres
 - 2700 W rated power
 - Product Dimensions (h x w x d): 480 x 898 x 563 mm

- Accessories**
- Cooking tray
 - Wire shelf
 - Turnspit



OUM 25520 X
Multifunction oven with 12 cooking functions




- Main Features**
- Easy to use electronic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic key lock
 - Interior lighting
 - Easy to clean & removable full glass inner door
 - Easy to remove side racks. 5 levels
 - Catalytic back wall
- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (h x w x d): 595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Deep tray
 - Wire shelf
 - Turnspit
- 60 cm Vitroceramic Hob**
- Stainless steel frame
 - 4 cooking zones
 - Front Left : 180/120 mm-1.7/0.7 kW duo hi-light
 - Rear Left : 140 mm-1.2 kW
 - Front Right : 140 mm-1.2 kW
 - Rear Right : 170/265 mm-2.4/1.5 kW extended hi-light
 - 6 cooking levels per zone



OUM 22520 X
Multifunction oven with 12 cooking functions




- Main Features**
- Easy to use electronic programmer
 - Multidimensional cooking function for multi-tray cooking
 - Booster function for quick pre-heating
 - Pizza cooking
 - Slow cooking function
 - Warm keeping
 - Electronic key lock
 - Dual interior lighting
 - Easy to clean & removable full glass inner door
 - Easy to remove side racks. 5 levels
 - Catalytic back wall
- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (h x w x d): 595 x 594x 567 mm

- Accessories**
- Baking tray
 - Deep tray
 - Wire shelf
- 60 cm Vitroceramic Hob**
- 4 cooking zones
 - Front Left : 180/120 mm-1.7/0.7 kW duo hi-light
 - Rear Left : 140 mm-1.2 kW
 - Front Right : 140 mm-1.2 kW
 - Rear Right : 180 mm-1.7 kW
 - 6 cooking levels per zone



OUM 22320 X
Multifunction oven with 8 cooking functions



- Main Features**
- Easy to use digital programmer
 - Multidimensional cooking function for multi-tray cooking
 - Electronic key lock
 - Interior lighting
 - Easy to clean full glass inner door
 - Enamelled cavity
- Technical Features**
- A energy efficiency class
 - Extra Large Oven Cavity Volume: 65 litres
 - Product Dimensions (h x w x d): 595 x 594 x 567 mm

- Accessories**
- Cooking tray
 - Baking tray
 - Wire shelf
- 60 cm Vitroceramic Hob**
- Stainless steel frame
 - 4 cooking zones
 - Front Left : 180/120 mm-1.7/0.7 kW duo hi-light
 - Rear Left : 140 mm-1.2 kW
 - Front Right : 140 mm-1.2 kW
 - Rear Right : 170/265 mm-2.4/1.5 kW extended hi-light
 - 6 cooking levels per zone

OUM 22320 W: White



OUE 22320 X

Multifunction oven with 6 cooking functions



Main Features

- Easy to use digital programmer
- Fan assisted cooking
- Booster function for quick pre-heating
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks. 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (hxwx): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left : 180/120 mm-1.7/0.7 kW duo hi-light
- Rear Left : 140 mm-1.2 kW
- Front Right : 140 mm-1.2 kW
- Rear Right : 180 mm-1.7 Kw
- 6 cooking levels per zone



OUE 22120 X

Multifunction oven with 6 cooking functions



Main Features

- Easy to use mechanic programmer
- Fan assisted cooking
- Booster function for quick pre-heating
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity volume: 65 litres
- Product Dimensions (hxwx): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left : 180 mm-1.7 Kw
- Rear Left : 140 mm-1.2 kW
- Front Right : 140 mm-1.2 kW
- Rear Right : 180 mm-1.7 Kw
- 6 cooking levels per zone



OUE 22020 X

Multifunction oven with 6 cooking functions



Main Features

- Fan assisted cooking
- Booster function for quick pre-heating
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (hxwx): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left : 180/120 mm-1.7/0.7 kW duo hi-light
- Rear Left : 140 mm-1.2 kW
- Front Right : 140 mm-1.2 kW
- Rear Right : 180 mm-1.7 Kw
- 6 cooking levels per zone

OUE 22020 W: White
OUE 22021 X: Stainless steel version with 1 duo and 1 extended zone
OUE 22021 W: White version with 1 duo and 1 extended zone



OUC 22020 X

Conventional Oven with 4 cooking functions



Main Features

- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity
- Electric grill

Technical Features

- A energy efficiency class
- Extra large oven cavity volume: 67.5 litres
- Product Dimensions (hxwx): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left : 180 mm-1.7 Kw
- Rear Left : 140 mm-1.2 kW
- Front Right : 140 mm-1.2 kW
- Rear Right : 180 mm-1.7 Kw
- 6 cooking levels per zone

OUC 22021 X: 60 cm vitroceramic hob with stainless steel frame and 4 hi-light cooking zones



OUC 22010 X

Conventional Oven with 4 cooking functions



Main Features

- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity
- Electric grill

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 67.5 litres
- Product Dimensions (hxwx): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

60 cm Electric Hob

- 2 rapid and 2 standard hotplates
- Front Left : 180 mm-2 kW Rapid
- Rear Left : 145 mm-1.0 kW
- Front Right: 145 mm-1.0 kW
- Rear Right : 180 mm-2.0 kW Rapid



OUE 22001 X

Multifunction oven with 6 cooking functions



Main Features

- Fan assisted cooking
- Booster function for quick pre-heating
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra large oven cavity volume: 65 litres
- Product Dimensions (hxwx): 595 x 594 x 567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf



OUC 22000 X

Conventional Oven with
3 cooking functions



Main Features

- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 67.5 litres
- Product Dimensions (hwxwd):
595 x 594 x 567 mm

Accessories


Cooking tray
Wire shelf

OUC 22000 W: White
OUC 22000 B: Black



OCM 25600 XP

Pyrolytic multifunction compact
oven with 12 cooking functions



Main Features

- Easy to use touch control programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function for multi-tray cooking
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (hwxwd):
455 x 594 x 567 mm

Accessories

Baking tray
Wire shelf



OCM 25600 X

Multifunction compact oven
with 12 cooking functions



Main Features

- Easy to use touch control programmer
- Multidimensional cooking function for multi-tray cooking
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (hwxwd):
455 x 594 x 567 mm


Accessories

Baking tray
Wire shelf



OCM 25500 XP

Pyrolytic multifunction compact
oven with 12 cooking functions



Main Features

- Easy to use electronic control programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function for multi-tray cooking
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (hwxwd):
455 x 594 x 567 mm

Accessories

Baking tray
Wire shelf



OCM 25500 X

Multifunction compact oven
with 12 cooking functions



OCW 45300 X

Microwave Oven with Grill
and Fan Heating



OCM 22300 X

Multifunction compact oven with
8 cooking functions



OCE 22300 X

Multifunction compact oven with
6 cooking functions



Main Features

- Easy to use electronic control programmer
- Multidimensional cooking function for multi-tray cooking
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (hwxwd): 455 x 594 x 567 mm

Accessories

- Baking tray
- Wire shelf

Main Features

- Easy to use digital programmer
- Booster function for quick pre-heating
- Defrost functions
- Pizza cooking
- Door closed grilling
- Electronic key lock
- Interior lighting

Technical Features

- 3400 W rated power
- 1000 W MWO output power
- Oven Cavity Volume: 32 litres
- Product Dimensions (hwxwd): 455 x 594 x 472 mm

Accessories

- Baking tray
- Wire shelf
- Glass tray
- Side racks

Main Features

- Easy to use digital programmer
- Multidimensional cooking function for multi-tray cooking
- Fan assisted cooking
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (hwxwd): 455 x 594 x 567 mm

Accessories

- Baking tray
- Wire shelf

Main Features

- Easy to use digital programmer
- Fan assisted cooking
- Booster function for quick pre-heating
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (hwxwd): 455 x 594 x 567 mm

Accessories

- Baking tray
- Wire shelf

Warming drawers & compact ovens: The **perfect culinary couple**

The compact oven and warming drawer can fit perfectly in the existing 60 cm oven niche of your kitchen. This exceptional culinary combo provides enhanced flexibility that enables you to keep your main dish warm on the side while you continue cooking other dishes or dessert.



Don't compromise quality

Timing is tricky when you're preparing a big meal, trying to ensure that everybody's food is prepared and ready at the right temperature at the right time. Taste is compromised if the dish is served too cold or too hot. That's why warming drawers are the perfect solution for keeping food warm on the side while waiting for guests to arrive or while preparing other courses in the meantime. The temperature can be adjusted between 40 °C and 80 °C.



Prewarm your service plates

Serving a hot meal on a cold plate can spoil the consistency, texture and taste of a dish. Beko warming drawers can pre-warm up to six service plates at a time. The drawer is strong enough to carry a load of up to 25 kg. Due to the multi-levels of temperature adjustment, the drawer can also be used for defrosting, pre-heating of food, or dough raising.



Easy access

The drawer can be pulled out with the telescopic shelf system, thus providing a great deal of convenience when loading and unloading. Since both sides of the drawer are open, the dinner sets and the oven trays can be easily accessed, picked up, or placed.

When not in use during food preparation, the warming drawer provides an ideal storage space for extra cooking trays.





DRW 11400 FX
Warming
Drawer



DRW 11400 DX
Warming
Drawer



DRW 11400 FW
Warming
Drawer



DRW 11400 FB
Warming
Drawer



Main Features

- Telescopic drawer for easy access
- 5 Functions: Dough raising, defrost, pre-heating, warm keeping, pre-warming crockery & utensils
- Easy to clean glass heating plate and cross flow blower with heater
- 4 levels of temperature adjustment between 40°C and 80°C
- Stainless steel cavity
- Serving Plates Of 6 People:
 - 6 x 24 cm dinner plates
 - 6 x 10 cm soup bowls
 - 1 x 19 cm serving dish
 - 1 x 17 cm serving dish
 - 1 x 32 cm meat plate
- Fingerprint free stainless steel
- 25 kg capacity
- Can Be Installed: By itself or together with a 45 cm high built-in compact oven

Technical Features

- Product Dimensions (hwxwd):
 - 140 x 594 x 516 mm

Main Features

- Telescopic drawer for easy access
- Pre-warming crockery & utensils
- Anti slip mat
- Cross flow blower with heater
- 3 levels of temperature adjustment between 40°C and 70°C
- Stainless steel cavity
- Serving Plates Of 6 People:
 - 6 x 24 cm dinner plates
 - 6 x 10 cm soup bowls
 - 1 x 19 cm serving dish
 - 1 x 17 cm serving dish
 - 1 x 32 cm meat plate
- 25 kg capacity
- Can Be Installed: By itself or together with a 45 cm high built-in compact oven

Technical Features

- Product Dimensions (hwxwd):
 - 140 x 594 x 516 mm

Main Features

- Telescopic drawer for easy access
- 5 Functions: Dough raising, defrost, pre-heating, warm keeping, pre-warming crockery & utensils
- Easy to clean glass heating plate and cross flow blower with heater
- 4 levels of temperature adjustment between 40°C and 80°C
- Stainless steel cavity
- Serving Plates Of 6 People:
 - 6 x 24 cm dinner plates
 - 6 x 10 cm soup bowls
 - 1 x 19 cm serving dish
 - 1 x 17 cm serving dish
 - 1 x 32 cm meat plate
- 25 kg capacity
- Can Be Installed: By itself or together with a 45 cm high built-in compact oven

Technical Features

- Product Dimensions (hwxwd):
 - 140 x 594 x 516 mm

Main Features

- Telescopic drawer for easy access
- 5 Functions: Dough raising, defrost, pre-heating, warm keeping, pre-warming crockery & utensils
- Easy to clean glass heating plate and cross flow blower with heater
- 4 levels of temperature adjustment between 40°C and 80°C
- Stainless steel cavity
- Serving Plates Of 6 People:
 - 6 x 24 cm dinner plates
 - 6 x 10 cm soup bowls
 - 1 x 19 cm serving dish
 - 1 x 17 cm serving dish
 - 1 x 32 cm meat plate
- 25 kg capacity
- Can Be Installed: By itself or together with a 45 cm high built-in compact oven

Technical Features

- Product Dimensions (hwxwd):
 - 140 x 594 x 516 mm



Microwave ovens:
Efficient solutions
for **practical cooking**



Strong, durable,
stainless steel
interiors

Ranging from 20 to 30 litre-capacity, Beko microwave ovens offer practical cooking solutions to help you keep up with a fast paced life. The range is well equipped with advanced functions, including Quick Start, Auto Weight Defrosting, Auto Cooking Menu, and Low and Strong Grilling.



Selected models feature combined cooking functions, including convection and microwave, grill and convection, and grill and microwave. Fan heating can also be used on its own for convection cooking.



MWB 3010 EX
30 litres Microwave Oven with
Grill and Fan Heating



MWB 2510 EX
25 litres
Microwave Oven with Grill



MWB 2310EX
23 litres
Microwave Oven with Grill



MWB 2000EX
20 litres
Microwave Oven



- Main Features**
- Digital programmer
 - 3 auto step cooking functions
 - 5 microwave power levels
 - 2 grilling levels
 - Defrost function
 - Quick start
 - Electronic child lock
 - Fingerprint free stainless steel
 - Interior lighting
 - Built-in installation with frame*

- Technical Features**
- MWO Power Level: 900 W
 - Grill Power: 1200 W
 - Fan Heating Power: 1350 W
 - Product Dimensions (hwxwd):
300 x 520 x 530 mm

* Frame code MWK 3010 X

- Main Features**
- Digital programmer
 - 3 auto step cooking functions
 - 5 microwave power levels
 - 2 grilling levels
 - Defrost function
 - Quick start
 - Electronic child lock
 - Fingerprint free stainless steel
 - Interior lighting
 - Built-in installation with frame*

- Technical Features**
- MWO Power Level: 900 W
 - Grill Power: 1200 W
 - Product Dimensions (hwxwd):
310 x 510 x 382 mm

* Frame code MWK 2510 X

- Main Features**
- Digital programmer
 - 3 auto step cooking functions
 - 5 microwave power levels
 - 2 grilling levels
 - Defrost function
 - Quick start
 - Electronic child lock
 - Stainless steel cavity
 - Interior lighting
 - Built-in installation with frame*

- Technical Features**
- MWO Power Level: 900 W
 - Grill Power: 1200 W
 - Product Dimensions (hwxwd):
310 x 510 x 382 mm

* Frame code MWK 2310 X

- Main Features**
- Digital programmer
 - 3 auto step cooking functions
 - 5 microwave power levels
 - Defrost function
 - Quick start
 - Electronic child lock
 - Interior lighting
 - Built-in installation with frame*

- Technical Features**
- MWO Power Level: 800 W
 - Product Dimensions (hwxwd):
282 x 470 x 377 mm

* Frame code MWK 2000 X






Induction cooking technology


This is the latest and most efficient cooking technology available. Induction cookers heat up only when and where there's a pot on the vitroceramic surface - with the remainder of the surface barely warming at all.



Efficient & quick cooking
The rapid heat induced by induction cookers is distributed evenly and consistently to your pot. Compared to standard cookers, Beko induction hobs with power boost can reduce cooking time by up to 56% and energy consumption by 43%.



Safety, efficiency, and cleanliness



Inside the induction hob, there is a coil that creates a magnetic field. When the pot is placed on the induction zone, this magnetic field transfers heat directly to the cooking pan. There's no flame or glowing hot surface. The only result is a rapid increase in food temperature that can be precisely regulated. This method of heating ensures minimum energy loss and maximum speed.



Quick & easy cleaning
Since the vitroceramic surface doesn't heat up, spilt food won't burn on the hob, which makes it easy to clean up.



Safe cooking

Beko induction cookers are loaded with extra safety features that enable you to cook with ease. There are no open flames and it's only your pot that heats up while cooking. If there's no contact with a pot, or a pot is left on the cooker for an unusually long period, the heating stops automatically. The smart heat control feature will limit maximum heat to 300 °C. Should any liquid spill over on the control panel, the cooker will automatically turn itself off. The small object safety feature ensures that the hob will not be activated by any other extraneous object - such as a tea spoon that might have accidentally been dropped on the hob.





HII 64401 T
60 cm
Induction Hob



- Main Features**
- Front touch control
 - 4 induction zones
 - Front Left : 180 mm-1800 W, 2500 W (boost)
 - Front Right : 145 mm-1400 W, 1800 W (boost)
 - Rear Left : 145 mm-1400 W, 1800 W (boost)
 - Rear Right : 180 mm-1800 W, 2500 W (boost)
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.4 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm

HII 64401: w/o timer



HII 64400 T
60 cm
Induction Hob



- Main Features**
- Front touch control
 - 4 induction zones
 - Front Left : 180 mm-1800 W, 2500 W (boost)
 - Front Right : 145 mm-1400 W, 1800 W (boost)
 - Rear Left : 180 mm-1800 W, 2500 W (boost)
 - Rear Right : 210 mm-2200 W, 3200 W (boost)
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.2 kw
 - Product Dimensions (hwxwd): 55 x 580x 510 mm

HII 64400 :w/o timer



HII 64301 T
60 cm
Induction Hob



- Main Features**
- Front touch control
 - 3 induction zones
 - Front Left : 180 mm-1800 W, 2500 W (boost)
 - Front Right : 210 mm-2200 W, 3200 W (boost)
 - Rear Left : 180 mm-1800 W, 2500 W (boost)
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.8 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm

HII 64301: w/o timer



HII 64300 T
60 cm
Induction Hob



- Main Features**
- Front touch control
 - 3 induction zones
 - Front Left : 180 mm-1800 W, 2500 W (boost)
 - Front Right : 280 mm-2400 W, 3600 W (boost)
 - Rear Left : 145 mm-1400 W, 1800 W (boost)
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.8 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm

HII 64301: w/o timer



Vitroceraamic hobs

The touch control vitroceraamic hobs feature nine different cooking levels for each cooking zone, and the temperature can be set individually for each zone with the touch of a finger. The set cooking level for each zone is digitally displayed on the control area. The working space on the hob is maximized thanks to the central front positioning of the touch-sensitive control area.



The smooth yet scratch-resistant glass surface not only enhances the beauty of your kitchen, but is extremely easy to clean as well.

Beko ceramic hobs make cooking a pleasure, with various advanced features that include:

A timer and buzzer, which allows you to program a separate cooking duration for each cooking zone. Once the cooking time is over, the buzzer alarm is activated. You can deactivate the alarm by touching any key on the control panel.

A booster function that allows you to program each cooking zone to start cooking at maximum power, before returning to a set temperature once the food comes to a boil, and then continuing at this temperature until completion.



For absolute safety, the touch control vitroceraamic hobs are equipped with a number of advanced safety features:

Residual heat indicators are easily visible. They indicate that the surface on an individual cooking zone is not yet cool enough to touch. The indicators turn off only when the surface temperature has dropped below 60 °C.

The electronic child lock can be activated to lock the functions of your hob so as to prevent little fingers from accidentally activating it.

The overflow liquid-sensitive control unit automatically shuts off the hob when food or water spills over on to the touch control area.

The automatic shut-off feature is activated when the cooking zones have been kept working for an unusually long period of time.



Beko ceramic hobs are equipped with versatile cooking zones that offer the flexibility of choosing between single, double, triple, or extended operation levels according to the size of your pot. This means that whether you use the smallest or the biggest pot, you're only using the amount of heat that you need. Furthermore, the warming zone on selected models keeps food warm, tasty, and ready to serve without danger of overcooking.



HIC 85402 T
80 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 5 vitroceramic zones
 - Front Left : 120/210 mm-600/2000 W
 - Front Right : 140 mm-1200 W
 - Rear Left : 160 mm-1500 W
 - Rear Right : 100 W
 - Central : 140/250 mm-1100/2000 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.8 kW
 - Product Dimensions (hwxwd): 55 x 770 x 510 mm



HIC 85401 T
80 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 5 vitroceramic zones
 - Front Left : 120/210 mm-600/2000 W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 100 W
 - Central : 180/230 mm-1500/2400 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.2 kW
 - Product Dimensions (hwxwd): 55 x 770 x 510 mm



HIC 85400 T
80 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 5 vitroceramic zones
 - Front Left : 120/210 mm-600/2000 W
 - Front Right : 140 mm-1200 W
 - Rear Left : 160 mm-1500 W
 - Rear Right : 170/265 mm-1500/2400 W
 - Central : 100 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.1 kW
 - Product Dimensions (hwxwd): 55 x 770 x 510 mm



HIC 84402 T
80 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left : 145/200/350 mm-900/1750/2100 W
 - Front Right : 140 mm-1200 W
 - Rear Right : 120/210 mm-600/2000 W
 - Central : 100 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 5.4 kW
 - Product Dimensions (hwxwd): 55 x 770 x 510mm



HIC 84401 T
80 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left : 120/180/230 mm-800/1600/2500 W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 140/250mm-1100/2000 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.2 kW
 - Product Dimensions (hwxwd): 55 x 770 x 510 mm




HIC 84400 T
80 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left : 120/210 mm-600/2000 W
 - Front Right : 180 mm-1800 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 170/265 mm-1500/2400 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.4 kW
 - Product Dimensions (hwxwd): 55 x 770 x 510 mm



HIC 64404 T
60 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitreoceramic zones
 - Front Left : 120/175/210 mm-800/1600/2300 W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 140/250 mm-1100/2000 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.0 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm



HIC 64403 T
60 cm
Vitreoceramic Hob




- Main Features**
- Front slim touch control
 - 4 vitreoceramic zones
 - Front Left : 120/210 mm-750/2200W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 140/250 mm-1100/2000 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.9 kW
 - Product Dimensions (hwxwd): 55 x580 x 510 mm

HIC 64403: w/o timer and buzzer



HIC 64402 T
60 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitreoceramic zones
 - Front Left : 120/210 mm-750/2200 W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.7 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm

HIC 64402: w/o timer and buzzer



HIC 64401 T
60 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitreoceramic zones
 - Front Left : 210 mm-2300 W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.8 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm

HIC 64401: w/o timer and buzzer



HIC 64400
60 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitreoceramic zones
 - Front Left : 180 mm-1800 W
 - Front Right : 140 mm-1200 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.0 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm




HIC 63402 T
60 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 3 vitreoceramic zones
 - Front Left : 120/180 mm-700/1700W
 - Rear Left : 140 mm-1200W
 - Rear Right : 145/210/275 mm-1050/2200/2700W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 5.6 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm




HIC 64402 E
60 cm
Vitreoceramic Hob



- Main Features**
- Front touch control
 - 4 vitreoceramic zones
 - Front Left : 120/210 mm-750/2200 W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.7 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm




HIC 64401 E
60 cm
Vitreoceramic Hob



- Main Features**
- Front touch control
 - 4 vitreoceramic zones
 - Front Left : 210 mm-2300 W
 - Front Right : 160 mm-1500 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.8 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm




HIC 64400 E
60 cm
Vitreoceramic Hob



- Main Features**
- Front touch control
 - 4 vitreoceramic zones
 - Front Left : 180 mm-1800 W
 - Front Right : 140 mm-1200 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.0 kW
 - Product Dimensions (hwxwd): 55 x 580 x 510 mm




HIC 64104
60 cm
Vitreoceramic Hob



- Main Features**
- Side control
 - 4 vitreoceramic zones
 - Front Left : 120/210 mm-750/2200 W hi-light
 - Front Right : 140 mm-1200 hi-light
 - Rear Left : 140 mm-1200 hi-light
 - Rear Right : 120/180 mm-700/1700 W hi-light
 - 6 cooking levels per zone
 - On-off indicator light

- Safety Features**
- Residual heat indicator

- Technical Features**
- Electric Power: 6.3 kW
 - Product Dimensions (hwxwd): 98 x 580 x 510 mm




HIC 64103
60 cm
Vitreoceramic Hob



- Main Features**
- Side control
 - 4 vitreoceramic zones
 - Front Left : 210 mm-2100 W hi-light
 - Front Right : 140 mm-1400 W hi-light
 - Rear Left : 120 mm-1200 W hi-light
 - Rear Right : 180 mm-1800 W hi-light
 - 6 cooking levels per zone
 - On-off indicator light

- Safety Features**
- Residual heat indicator

- Technical Features**
- Electric Power: 6.3 kW
 - Product Dimensions (hwxwd): 98 x 580 x 510 mm




HIC 64102
60 cm
Vitreoceramic Hob



- Main Features**
- Side control
 - 4 vitreoceramic zones
 - Front Left : 210 mm-2100 W hi-light
 - Front Right : 140 mm-1200 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1700 W
 - 6 cooking levels per zone
 - On-off indicator light

- Safety Features**
- Residual heat indicator

- Technical Features**
- Electric Power: 6.2 kW
 - Product Dimensions (hwxwd): 98 x 580 x 510 mm




HIC 64101
60 cm
Vitreoceramic Hob



- Main Features**
- Side control
 - 4 vitroceramic zones
 - Front Left : 120/180 mm-700/1700 W hi-light
 - Front Right : 140 mm-1200 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1700 W
 - 6 cooking levels per zone
 - On-off indicator light

- Safety Features**
- Residual heat indicator

- Technical Features**
- Electric Power: 5.8 kW
 - Product Dimensions (hxwxd): 98 x 580 x 510 mm



HIC 64100
60 cm
Vitreoceramic Hob



- Main Features**
- Side control
 - 4 vitroceramic zones
 - Front Left : 180 mm-1700 W
 - Front Right : 140 mm-1200 W
 - Rear Left : 140 mm-1200 W
 - Rear Right : 180 mm-1700 W
 - 6 cooking levels per zone
 - On-off indicator light

- Safety Features**
- Residual heat indicator

- Technical Features**
- Electric Power: 5.8 kW
 - Product Dimensions (hxwxd): 98 x 580 x 510 mm



HIZE 64101 X
60 cm
Electric Hob



- Main Features**
- Side control
 - 2 rapid and 2 standard hotplates
 - Front Left : 1,5 kW-180 mm
 - Front Right : 1,5 kW-145 mm Rapid
 - Rear Left : 1 kW-145 mm
 - Rear Right : 2,0 kW-180 mm Rapid

- Technical Features**
- Electric Power: 6.0 kW
 - Product Dimensions (hxwxd): 60 x 580 x 510 mm

- HIZE 64101 W: White
HIZE 64100 X: Inox w/o rapid
HIZE 64100 W: White w/o rapid
HIZE 64100 B: Black w/o rapid



Gas hobs

The high-power 3.600W wok burner cooks food rapidly, without compromising its nutritional value. Heat is more evenly distributed at the bottom of the pan, resulting in excellent cooking performance over a shorter period of time.



Cast iron pan supports enhance the stylish and professional look of your hob, while also providing maximum stability, thereby enabling you to use pots and pans of any size without the risk of tilting or sliding.



If the flame is accidentally extinguished by wind or by overflowing liquid, the flame failure device automatically cuts off the gas supply to prevent any gas leakage.

Integrated into the knobs, electronic ignition provides easy and simple lighting for gas burners.



HIS 75220 S
70 cm Gas Hob with
4 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front Left : 2 kW
Front Right : 1 kW
Rear Left : 2.9 kW
Rear Right : 2 kW
Central : 3.6 kW Wok
 - Cast iron pan supports
 - Integrated electronic ignition
 - Wok adapter
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG, G20-13mbar and G20-10mbar natural gas use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 11.5 kW
 - Product Dimensions (hxwx): 98 x 680 x 510 mm

HIS 75221: Enamelled pan support w/o flame failure device



HIS 74220 S
70 cm Gas Hob with
3 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front left : 3.6 kW Wok
Front right : 1 kW
Rear left : 2 kW
Rear right : 2 kW
 - Cast iron pan supports
 - Integrated electronic ignition
 - Wok adapter
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 8.6 kW
 - Product Dimensions (hxwx): 98 x 680 x 510 mm

HIS 74221: Enamelled pan support w/o flame failure device



HIS 64221 S
60 cm Gas Hob with
3 Standard + 1 Wok Burners




- Main Features**
- Front controls
Front Left : 3.6 kW Wok
Front Right: 1 kW
Rear Left : 2 kW
Rear Right : 2 kW
 - Cast iron pan supports
 - Integrated electronic ignition
 - Wok adapter
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 8.6 kW
 - Product Dimensions (hxwx): 98 x 590 x 510 mm

HIS 64223: Enamelled pan support w/o flame failure device



HIS 64220 S
60 cm Gas Hob with
4 Standard Burners



- Main Features**
- Front controls
Front Left : 2 kW
Front Right: 1 kW
Rear Left : 2.9 kW
Rear Right : 2 kW
 - Enamelled pan supports
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG, G20-13mbar and G20-10mbar natural gas use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 7.9 kW
 - Product Dimensions (hxwx): 98 x 590 x 510 mm

HIS 64222 S: Cast iron pan support with flame failure device
HIS 64220 W: White w/o flame failure device
HIS 64222 SW: White with cast iron pan support



HIS 64121 S
60 cm Gas Hob with
3 Standard + 1 Wok Burners



- Main Features**
- Side controls
Front Left : 3.6 kW Wok
Front Right: 1 kW
Rear Left : 2 kW
Rear Right : 2 kW
 - Enamelled pan supports
 - Integrated electronic ignition
 - Wok adapter
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG, G20-13mbar and G20-10mbar natural gas use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 8.6 kW
 - Product Dimensions (hxwx): 98 x 590 x 510 mm

HIS 64121 SW: White



HIS 64120
60 cm Gas Hob with
4 Standard Burners



- Main Features**
- Side controls
Front Left : 2.9 kW
Front Right: 1 kW
Rear Left : 2 kW
Rear Right : 2 kW
 - Enamelled pan supports
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG, G20-13mbar and G20-10mbar natural gas use

- Technical Features**
- Gas Power: 7.9 kW
 - Product Dimensions (hxwx): 98 x 590 x 510 mm

HIS 64120 S: with flame failure device
HIS 64120 W: White
HIS 64120 SW: White with flame failure device



HIG 95222 SX
90 cm Gas Hob with
4 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front Left : 1 kW
Front Right : 2 kW
Rear Left : 2.9 kW
Rear Right : 2 kW
Wok : 3.6 kW
 - Cast iron pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 11.3 kW
 - Product Dimensions (hwxwd):
90 x 865 x 500 mm



HIG 75222 SX
75 cm Gas Hob with
4 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front Left : 1 kW
Front Right : 2 kW
Rear Left : 2.9 kW
Rear Right : 2 kW
Wok : 3.6 kW
 - Cast iron pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG,
G20-13mbar and G20-10mbar
natural gas use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 11.3 kW
 - Product Dimensions (hwxwd):
33 x 740 x 500 mm



HIG 75221 SX
70 cm Gas Hob with
4 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front Left : 1 kW
Front Right : 2 kW
Rear Left : 2.9 kW
Rear Right : 2 kW
Wok : 3.6 kW
 - Cast iron pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 11.5 kW
 - Product Dimensions (hwxwd):
100 x 680 x 510 mm



HIG 75220 SX
70 cm Gas Hob with
4 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front Left : 1 kW
Front Right : 2 kW
Rear Left : 2.9 kW
Rear Right : 2 kW
Wok : 3.6 kW
 - Mat enamelled pan support and
burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 11.2 kW
 - Product Dimensions (hwxwd):
100 x 680 x 510 mm



HIG 64221 SX
60 cm Gas Hob with
3 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front Left : 1 kW
Front Right : 2 kW
Rear Left : 3.6 kW Wok
Rear Right : 2 kW
 - Cast iron pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 8.6 kW
 - Product Dimensions (hwxwd):
100 x 580 x 510 mm

HIG 64221 SW: White with mat enamelled
pan support and burner caps
HIG 64221 X: Stainless steel with mat
enamelled pan support and burner caps
w/o flame failure device
HIG 64221 W: White with mat enamelled pan
support and burner caps w/o flame failure
device



HIG 64220 SX
60 cm Gas Hob with
3 Standard + 1 Wok Burners



- Main Features**
- Front controls
Front Left : 1 kW
Front Right : 2 kW
Rear Left : 2.9 kW Wok
Rear Right : 2 kW
 - Enamelled pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 7.9 kW
 - Product Dimensions (hwxwd):
100 x 580 x 510 mm

HIG 64220 SW: White
HIG 64220 X: Stainless steel w/o flame
failure device
HIG 64220 W: White w/o flame failure
device



HIW 64221 S
60 cm Mixed Hob with
2 Vitroceramic + 2 Gas Burners



- Main Features**
- Front controls
Front Left : 180 mm-1800 W hi-light
Front Right : 1 kW
Rear Left : 140 mm-1200 W hi-light
Rear Right : 2 kW
 - Cast iron pan supports
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 3 kW Electric Power: 3 kW
 - Product Dimensions (hwxwd):
98 x 590 x 510 mm

HIW 64222: Enamelled w/o flame
failure device
HIW 64223 S: 180 mm Duo hi-light zone



HIW 64120 S
60 cm Mixed Hob with
2 Vitroceramic + 2 Gas Burners



- Main Features**
- Side controls
Front Left : 180 mm-1700 W radiant
Front Right : 1 kW
Rear Left : 140 mm-1200 W radiant
Rear Right : 2 kW
 - Enamelled pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG gas,
and G20-13mbar natural gas use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 3 kW Electric Power: 2.9 kW
 - Product Dimensions (hwxwd):
98 x 590 x 510 mm

HIW 64120: w/o flame failure device



HIM 64220 SX
60 cm Mixed Hob with
3 Gas Burners + 1 Hotplate



- Main Features**
- Front controls
Front Left : 1 kW
Front Right : 2 kW
Rear Left : 1.5 kW (145 mm)
Rear Right : 2.9 kW
 - Enamelled pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 5.9 kW Electric Power: 1.5 kW
 - Product Dimensions (hwxwd):
100 x 580 x 510 mm

HIM 64220 SW: White
HIM 64220 X: Stainless steel w/o flame
failure device
HIM 64220 W: White w/o flame failure
device



HIM 64120 S
60 cm Mixed Hob with
3 Gas Burners + 1 Hotplate



- Main Features**
- Side controls
Front Left : 2 kW
Front Right : 1 kW
Rear Left (Hotplate) : 1 kW (145 mm)
Rear Right : 2.9 kW
 - Enamelled pan supports and burner caps
 - Integrated electronic ignition
 - G20-20mbar natural gas use

- Safety Features**
- Flame failure device

- Technical Features**
- Gas Power: 6.25 kW Electric Power: 1.5 kW
 - Product Dimensions (hwxwd):
101 x 580 x 510 mm



HIZG 64121 X
60 cm Gas Hob with
3 Standard + 1 Wok Burners



- Main Features**
- Side controls
Front Left : 3.6 kW Wok
Front Right : 1 kW
Rear Left : 2 kW
Rear Right : 2 kW
 - Enamelled pan supports
 - Enamelled wok adapter
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG gas

- Technical Features**
- Gas Power: 8.6 kW
 - Product Dimensions (hwxwd):
87 x 580 x 510 mm

HIZG 64121 SX: Cast iron pan support with
flame failure device
HIZG 64121 W: White



HIZG 64120 X
60 cm Gas Hob with
4 Standard Burners



- Main Features**
- Side controls
Front Left : 2.9 kW
Front Right : 1 kW
Rear Left : 2 kW
Rear Right : 2 kW
 - Enamelled pan supports
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG,
G20-13 and G20-10mbar natural gas use

- Technical Features**
- Gas Power: 7.9 kW
 - Product Dimensions (hwxwd):
87 x 580 x 510 mm

HIZG 64120 B: Black
HIZG 64120 W: White
HIZG 64120 SX: with flame failure device



HIZG 64120 WR
60 cm Gas Hob with
4 Standard Burners



- Main Features**
- Side controls
 - Front Left : 2.9 kW
 - Front Right : 1 kW
 - Rear Left : 2 kW
 - Rear Right : 2 kW
 - Enamelled pan supports
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG, G20-13 and G20-10mbar natural gas use
- Technical Features**
- Gas Power: 7.9 kW
 - Product Dimensions (hxwx): 87 x 580 x 510 mm
- HIZG 64120 CR: Charcoal
HIZG 64120 SCR: with flame failure device
HIZG 64120 SWR: with flame failure device



HIZG 64110 X
60 cm Gas Hob with
4 Standard Burners



- Main Features**
- Side controls
 - Front Left : 2.9 kW
 - Front Right : 1 kW
 - Rear Left : 2 kW
 - Rear Right : 2 kW
 - Enamelled pan supports
 - Push button ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use
- Technical Features**
- Gas Power: 7.9 kW
 - Product Dimensions (hxwx): 87 x 580 x 510 mm
- HIZG 64110 B: Black
HIZG 64110 W: White



HIZG 64100 X
60 cm Gas Hob with
4 Standard Burners




- Main Features**
- Side controls
 - Front Left : 2.9 kW
 - Front Right : 1 kW
 - Rear Left : 2 kW
 - Rear Right : 2 kW
 - Enamelled pan supports
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use
- Technical Features**
- Gas Power: 7.9 kW
 - Product Dimensions (hxwx): 87 x 580 x 510 mm
- HIZG 64100 B: Black
HIZG 64100 W: White



HIZG 63120 X
60 cm Gas Hob with
2 Standard + 1 Wok Burners



- Main Features**
- Side controls
 - Front Left : 3.6 kW Wok
 - Front Right : 1 kW
 - Rear Left : 2 kW
 - Cast iron pan supports
 - Cast iron wok adapter
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use
- Technical Features**
- Gas Power: 6.6 kW
 - Product Dimensions (hxwx): 85 x 580 x 510 mm



HIZM 64121 SW
60 cm Mixed Hob with
2 Gas Burners + 2 Hotplates



- Main Features**
- Side controls
 - Front Left : 180 mm-2 kW rapid
 - Front Right : 1 kW
 - Rear Left : 145 m-1kW
 - Rear Right : 2 kW
 - Enamelled pan supports
 - Integrated electronic ignition
 - G30-30mbar LPG use
 - Adaptable to G20-20mbar natural gas use
- Safety Features**
- Flame failure device
- Technical Features**
- Gas Power: 3.0 kW Electric Power: 3.0 kW
 - Product Dimensions (hxwx): 87 x 580 x 510 mm
- HIZM 64121 SX: Stainless steel



HIZM 64120 SX
60 cm Mixed Hob with
3 Gas Burners + 1 Hotplate



- Main Features**
- Side controls
 - Front Left : 2.9 kW
 - Front Right : 1 kW
 - Rear Left : 1 kW-145 mm
 - Rear Right : 2 kW
 - Enamelled pan supports
 - Integrated electronic ignition
 - G20-20mbar natural gas use
 - G30-30mbar LPG use
 - Adaptable to G20-20, G20-13 and G20-10mbar natural gas
- Safety Features**
- Flame failure device
- Technical Features**
- Gas Power: 5.9 kW Electric Power: 1 kW
 - Product Dimensions (hxwx): 87 x 580 x 510 mm
- HIZM 64120 SW: White
HIZM 64120 X: w/o flame failure device



HIZM 64110 X
60 cm Mixed Hob with
3 Gas Burners + 1 Hotplate



- Main Features**
- Side controls
 - Front Left : 2.9 kW
 - Front Right : 1 kW
 - Rear Left : 1 kW-145 mm
 - Rear Right : 2 kW
 - Enamelled pan supports
 - Push button ignition
 - G20-20mbar natural gas use
 - Adaptable to G30-30mbar LPG use

- Technical Features**
- Gas Power: 5.9 kW Electric Power: 1 kW
 - Product Dimensions (hxwxh):
87 x 580 x 510 mm

HIZM 64110 W: White
HIZM 64110 B: Black



HDG 32210 SX
30 cm
Gas Hob



- Main Features**
- 2 gas burners
 - Front Zone : 1 kW
 - Rear Zone : 2 kW
 - Flame failure device
 - Push button ignition
 - Enamelled pan support
 - Cast iron pan support
 - G30-30mbar LPG use
 - Adaptable to G20-20 Natural gas

- Technical Features**
- Rated Power: 3.9 kW
 - Product Dimensions (hxwxh):
75 x 290 x 510 mm

HDG 32210 SW: White
HDG 32210 X: Stainless steel w/o flame
failure device
HDG 32210 W: White w/o flame failure
device



HDS 32400 X
30 cm
Vitroceramic Hob



- Main Features**
- Touch control
 - 2 vitroceramic zones
 - Front Zone : 140 mm-1.2 kW
 - Rear Zone : 180 mm-1.8 kW

- Technical Features**
- Rated Power: 3 kW
 - Product Dimensions (hxwxh):
42 x 290 x 510 mm



HDC 32201 X
30 cm
Vitroceramic Hob



- Main Features**
- Knob control
 - 2 vitroceramic zones
 - Front Zone : 140 mm-1.3 kW
 - Rear Zone : 180 mm-1.7 kW

- Technical Features**
- Rated Power: 3 kW
 - Product Dimensions (hxwxh):
71 x 290 x 510 mm



HDC 32200 X
30 cm
Vitroceramic Hob



- Main Features**
- Knob control
 - 2 vitroceramic zones
 - Front Zone : 140 mm-1.2 kW
 - Rear Zone : 180 mm-1.7 kW

- Technical Features**
- Rated Power: 2.9 kW
 - Product Dimensions (hxwxh):
75 x 290 x 510 mm

HDC 32200 W: White



HDS 32222 SX
30 cm
Wok Hob



- Main Features**
- Knob control
 - Flame failure device
 - Integrated electronic ignition
 - Cast iron pan support
- Technical Features**
- Rated Power: 3.8 kW
 - Product Dimensions (hxwx): 80 x 290 x 510 mm



HDS 32221 SX
30 cm
Gas Hob



- Main Features**
- Knob control
 - 2 gas burners
 - Front Zone : 1 kW
 - Rear Zone : 2 kW
 - Flame failure device
 - Integrated electronic ignition
 - Cast iron pan support
- Technical Features**
- Rated Power: 4 kW
 - Product Dimensions (hxwx): 71 x 290 x 510 mm



HDS 32220 SX
30 cm
Glass Gas Hob



- Main Features**
- Knob control
 - 2 gas burners
 - Front Zone : 1 kW
 - Rear Zone : 2 kW
 - Flame failure device
 - Integrated electronic ignition
 - Enamelled pan support
 - G20-20mbar Natural gas use
 - Adaptable to G30-30 LPG gas
- Technical Features**
- Rated Power: 3 kW
 - Product Dimensions (hxwx): 100 x 290 x 510 mm



HDE 32201 X
30 cm
Electric Hob



- Main Features**
- 2 Hotplates
 - Front Zone : 1 kW
 - Rear Zone : 1.5 kW
 - Rapid hotplates
- Technical Features**
- Rated Power: 3.5 kW
 - Product Dimensions (hxwx): 71 x 290 x 510 mm



HDE 32200 X
30 cm
Electric Hob



- Main Features**
- 2 Hotplates
 - Front Zone : 145 mm-1 kW
 - Rear Zone : 180 mm-1.5 kW
- Technical Features**
- Rated Power: 3 kW
 - Product Dimensions (hxwx): 75 x 290 x 510 mm
- HDE 32200 W: White, rapid hotplates



HDB 30200 X
30 cm
Barbecue



- Main Features**
- Front mounted control knobs
 - Power on-off light
 - Removable cast iron grill
 - Container with lava stones
 - Swinging-out heating element
 - Removable grease drip tray
- Technical Features**
- Rated Power: 2.4 kW
 - Product Dimensions (hxwx): 80 x 290 x 510 mm





Cooker hoods

Beko cooker hoods offer an odour- and grease-free environment, ensuring that your kitchen remains clean and pleasant.

With a ventilation capacity as high as 755 m³/hour, selected Beko cooker hoods are powerful enough to refresh the air every two minutes inside an average kitchen*.

* Calculated for a kitchen size of 10 sqm.



Carbon filters for re-circulated usage come in very handy in the absence of a chimney connection.

Halogen illumination lights provide clear visibility when you cook.

Aluminum cassette filters absorb any trace of grease and odour in the air. The filters are washable and very easy to clean.

Leave nothing behind but the smell of a home-cooked meal



An easy-to-use touch-sensitive control unit visually displays the set power level.



An auto air refreshment function activates the motor automatically for 10 minutes every hour at minimum speed, thus providing a continuous flow of fresh air in the kitchen. The cooker hood works very efficiently on low energy consumption and low noise, and is also effective in eliminating cigarette odours.



When activated, the time-controlled intensive extraction mode increases the extraction power of the motor to a maximum level. After 10 minutes, the extraction level setting of the hood reverts back automatically to the third level. This function is ideal for removing intense odours and vapours, especially during frying or grilling.



With the simple press of a button, you can programme your hood to switch off automatically after 15 minutes. This function ensures that you don't have to stay in the kitchen - or even at home - while the cooker hood eliminates all traces of odour after an intense cooking session.




The saturated filter indicator gives out a visual warning by blinking when it is time to clean the cassette filters or replace the charcoal filters.





CWB 9910 X
90 cm Wall Mounted
Cooker Hood



- Main Features**
- High ventilation capacity with 755 m³/h
 - Ducted or re-circulated usage
 - 4 power levels
 - Touch control
 - Illumination with 3x20 W halogen lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section
 - Saturated filter indicator
 - Auto air refreshment
 - Time controlled intensive extraction
 - Auto shut-off

- Technical Features**
- Total Power: 310 W
 - Product Dimensions (hwxwd): 466 x 900 x 387 mm



CWB 9900 X
90 cm Wall Mounted
Cooker Hood




- Main Features**
- High ventilation capacity with 755 m³/h
 - Ducted or re-circulated usage
 - 4 power levels
 - Touch control
 - Illumination with 3x20 W halogen lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section
 - Saturated filter indicator
 - Auto air refreshment
 - Time controlled intensive extraction

- Technical Features**
- Total Power: 290 W
 - Product Dimensions (hwxwd): 1020-1490 x 900 x 340 mm



CWB 9710 X
90 cm Wall Mounted
Cooker Hood



- Main Features**
- High ventilation capacity with 755 m³/h
 - Ducted or re-circulated usage
 - 4 power levels
 - Touch control
 - Illumination with 3x20 W halogen lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section
 - Saturated filter indicator
 - Auto air refreshment
 - Time controlled intensive extraction
 - Auto shut-off

- Technical Features**
- Total Power: 290 W
 - Product Dimensions (hwxwd): 1020-1490 x 900 x 340 mm



CIB 9600 X
90 cm Island Type
Cooker Hood



- Main Features**
- High ventilation capacity with 755 m³/h
 - Ducted or re-circulated usage
 - 4 power levels
 - Electronic soft touch button
 - Illumination with 4x20 W halogen lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section
 - Saturated filter indicator
 - Auto air refreshment
 - Time controlled intensive extraction
 - Auto shut-off

- Technical Features**
- Total Power: 330 W
 - Product Dimensions (hwxwd): 710-1075 x 900 x 600 mm



CWB 9600 X
90 cm Wall Mounted
Cooker Hood

- Main Features**
- 530 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x20 W halogen lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 270 W
 - Product Dimensions (hwxwd): 663-1128 x 900 x 500 mm

[CWB 7600 X: 70 cm width](#)
[CWB 6600 X: 60 cm width](#)



CWB 9510 X
90 cm Wall Mounted
Cooker Hood

- Main Features**
- 480 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 230 W
 - Product Dimensions (hwxwd): 800-1500 x 898 x 490 mm



CWB 9500 X
90 cm Wall Mounted
Cooker Hood

- Main Features**
- 530 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 310 W
 - Product Dimensions (hwxwd): 690-1155 x 900 x 480 mm

CWB 6500 X: 60 cm width



CWB 9441 X
90 cm Wall Mounted
Cooker Hood

- Main Features**
- 500 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 230 W
 - Product Dimensions (hwxwd): 740-1140 x 898 x 502 mm



CWB 9441 W
90 cm Wall Mounted
Cooker Hood

- Main Features**
- 500 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 230 W
 - Product Dimensions (hwxwd): 740-1140 x 898 x 502 mm



CWB 6441 WR
60 cm Wall Mounted
Cooker Hood

- Main Features**
- 500 m³/h ventilation capacity
 - Rustic Design
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 230 W
 - Product Dimensions (hwxwd): 740-1140 x 598 x 502 mm



CWB 6441 BR
60 cm Wall Mounted
Cooker Hood

- Main Features**
- 530 m³/h ventilation capacity
 - Rustic Design
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 230 W
 - Product Dimensions (hwxwd): 740-1140 x 598 x 502 mm



CWB 6430 X
60 cm Wall Mounted
Cooker Hood

- Main Features**
- 440 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Illumination with 2x40 W
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 200 W
 - Product Dimensions (hwxwd): 750-1095 x 600 x 492 mm



CWB 6510 X
60 cm Wall Mounted
Cooker Hood

- Main Features**
Technical Features



CWB 6441 X
60 cm Wall Mounted
Cooker Hood

- Main Features**
- 500 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 230 W
 - Product Dimensions (hwxwd): 740-1140 x 598 x 502 mm

CWB 6441 B: Black



CWB 6441 W
60 cm Wall Mounted
Cooker Hood

- Main Features**
Technical Features



CWB 6430 W
60 cm Wall Mounted
Cooker Hood

- Main Features**
- 440 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Illumination with 2x40 W
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 200 W
 - Product Dimensions (hwxwd): 750-1095 x 600 x 492 mm



CWB 6420 X
60 cm Wall Mounted
Cooker Hood

- Main Features**
- 410 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Push-button control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
 - Height adjustable chimney section

- Technical Features**
- Total Power: 230 W
 - Product Dimensions (hwxwd): 560-905 x 600 x 485 mm

CWB 9420 X: 90 cm width



CTB 6407 X
60 cm Telescopic
Cooker Hood

- Main Features**
- 375 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters

- Technical Features**
- Total Power: 220 W
 - Product Dimensions (hwxwd): 175 x 598 x 300-452 mm



CTB 6407 W
60 cm Telescopic
Cooker Hood

- Main Features**
 - 375 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
- Technical Features**
 - Total Power: 220 W
 - Product Dimensions (hxxwx): 175 x 598 x 300-452 mm



CCB 6486 W
55 cm Canopy
Cooker Hood

- Main Features**
 - 375 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - 2 motors
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
- Technical Features**
 - Total Power: 300 W
 - Product Dimensions (hxxwx): 140 x 550 x 295 mm



CFB 9433 X
90 cm Standard
Cooker Hood

- Main Features**
 - 450 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
- Technical Features**
 - Total Power: 330 W
 - Product Dimensions (hxxwx): 150 x 898 x 490 mm



CFB 6432 XG
60 cm Standard
Cooker Hood

- Main Features**
 - 300 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Glass visor
 - Illumination with 1x40 W lamp
 - Washable metal filter
- Technical Features**
 - Total Power: 180 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm



CFB 6432 X
60 cm Standard
Cooker Hood

- Main Features**
 - 300 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Illumination with 1x40 W lamp
 - Washable metal filter
- Technical Features**
 - Total Power: 180 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm



CFB 6434 S
60 cm Standard
Cooker Hood

- Main Features**
 - 450 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Glass visor
 - 2 motors
 - Illumination with 2x40 W lamps
 - Washable metal filter
- Technical Features**
 - Total Power: 330 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm



CFB 9431 W
90 cm Standard
Cooker Hood

- Main Features**
 - 450 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Glass visor
 - 2 motors
 - Illumination with 2x40 W lamps
 - Washable metal filter
- Technical Features**
 - Total Power: 330 W
 - Product Dimensions (hxxwx): 150 x 898 x 490 mm



CFB 6436 X
60 cm Standard
Cooker Hood

- Main Features**
 - 450 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Glass visor
 - Illumination with 2x40 W lamps
 - Washable aluminium cassette filters
- Technical Features**
 - Total Power: 330 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm



CFB 6433 X
60 cm Standard
Cooker Hood

- Main Features**
 - 450 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Glass visor
 - Illumination with 2x40 W lamps
 - Washable metal filter
- Technical Features**
 - Total Power: 330 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm



CFB 6432 W
60 cm Standard
Cooker Hood

- Main Features**
 - 300 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Glass visor
 - Illumination with 1x40 W lamp
 - Washable metal filter
- Technical Features**
 - Total Power: 180 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm



CFB 6431 W
60 cm Standard
Cooker Hood

- Main Features**
 - 300 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Glass visor
 - Illumination with 1x40 W lamp
 - Synthetic filter
- Technical Features**
 - Total Power: 180 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm



CFB 6437 W
60 cm Standard
Cooker Hood

- Main Features**
 - 255 m³/h ventilation capacity
 - Ducted or re-circulated usage
 - 3 power levels
 - Sliding control
 - Illumination with 1x40 W lamp
 - Synthetic filter
- Technical Features**
 - Total Power: 165 W
 - Product Dimensions (hxxwx): 150 x 598 x 490 mm





Perfect performance
Beko dishwashers with **A energy, A cleaning** and **A drying performance** achieve the utmost in cleaning and drying results while **consuming minimum energy**.



Tablet detergents are compact and easy to use, but they may have some drawbacks on occasion, like unsatisfactory drying results or undissolved tablet residue left in the machine. Beko dishwashers are equipped with a tablet detergent button to eliminate such drawbacks and ensure maximum performance when tablet detergents are used.



With the extra drying function, you can obtain perfect drying without rings, drops or streaks on your dishes, even if you use short programs.



The active fan drying system uses a fan to increase air circulation in the dishwasher to achieve perfect drying results and to provide normal temperatures for your dishes when the program is finished. This means you can immediately put your dry dishes away in the cupboard without burning your hands.



Beko dishwashers maintain a calm environment in your kitchen. Their quiet operation will greatly benefit your quality of life at home, leaving you and your family undisturbed even at night.



Quiet, reliable,
stylish efficiency

Time management

The wash cycle can be delayed for three, six, or nine hours (up to 24 hours on digital models) enabling you to plan your wash time more flexibly while taking advantage of reduced electricity rates.



A Class 58 min

Quick & Clean, a unique program from Beko, guarantees exceptional A class washing performance, not only for lightly soiled items, but for normally soiled pots and dishes as well. This A class wash cycle cleans your dishes in just 58 minutes, which is even quicker than washing by hand.



The Xpress20', another unique program from Beko, washes a half load in only 20 minutes.



Perfect for lightly soiled dishes and glasses, the Mini 30' program washes a full load in 30 minutes at 35 °C, thus saving time and energy.



XL Capacity: Washes 25% more

XL capacity dishwashers wash up to **15 place settings** instead of the standard 12.

Such increased washing capacity offers substantial benefits. Reducing the number of wash cycles means:


- Saving 25% on detergent*,
- Prolonged product lifetime – up to 2 years**
- Saving 15% on water and energy consumption***

* If standard tablet detergents are used
** Lifetime simulation tests of dishwashers are based on 280 cycles / year.
*** When consumptions per setting are compared between standard and XL Capacity models.



Extra-high interior with 86 cm height

Specially designed for the new generation of worktops with a height of 86 to 92cm, dishwashers with an extra-high interior provide greater inner dimensions, thus offering the capacity for loading trendy XL sized plates in the lower basket.



Stainless steel clad control panels for an aesthetic high-quality finish



Easy assembly

With the easy door-balancing system, door balance can be adjusted for different weights of built-in doors directly from the front, without the need for taking apart the sidewalls of the dishwasher.


The height of the rear feet can be adjusted from the front without taking the dishwasher out of its niche.

Thanks to the intelligent front feet design, the appliances can be adjusted to fit a niche with +/-100 mm range, from 820 mm up to 920 mm.



Fingerprint-free stainless steel

Thanks to a special coating on the stainless steel surfaces of selected models, fingerprints are avoided. The appliance always looks spotless, clean and shiny.



Baby Care Line: Extra hygiene & care for your baby.

Ensure that your children’s eating utensils are sparkling clean and germ free. Beko Baby Care Line dishwashers combine an intensive wash cycle with an extra hot rinse cycle in order to provide total hygiene for your baby’s utensils, plates and bottles. This baby care program provides 99.99 % hygiene, as certified by the LGA.



The baby-bottle holder accessory integrated into the lower basket is a design solution that guarantees the convenient, efficient and safe cleaning of your baby’s bottles.



The special baby cutlery tray is another design solution from Beko. This functional and compact tray is placed right below the upper basket and slides in and out easily, providing extra hygienic space for your baby cutlery. Those households without a baby can alternatively use this tray to place extra utensils.



Due to dirt accumulation over time, bacteria reproduction may occur on the gasket of the dishwashers. The antibacterial seal on Beko dishwashers acts as a guardian to block this formation.



The child lock option can be activated to prevent children from tampering with the buttons. Activating the child lock option prevents any change from being made to the selected program.



Safety
In case of overflow, the Water Safe system of Beko dishwashers cuts off the water flowing into the machine. Selected models are equipped with the Waterstop system that cuts off water supply from the tap in case of overflow or leakage, thus providing added safety. This ensures increased protection against water damage.



Intelligent Sensors: Auto Program

With auto program, sensors automatically detect the soil level of dishes to determine the appropriate wash cycle for the job at hand. Dishes are washed using the minimum required amount of energy and water, ensuring the program remains both practical and economical.

Functional accessories



Thanks to the acrobat system, the height of the upper basket can be easily adjusted even when the basket is full, providing extra space for larger dishes and pans.



Height-adjustable shelves for mugs offer maximum utilisation of the available space. Tall mugs and small cups can be placed one atop the other, or alternatively, the upper part can be used for long utensils.



Plate supports can be folded away easily to allow space to accommodate large pans and pots.



The upper and lower rack handles make it ergonomically easier to pull the racks out, even when they are loaded.



The three-way split cutlery basket can be divided into three separate parts. The parts can be individually placed in either the lower or upper basket to provide full flexibility in loading.



DSN 6839 FX
60 cm Semi-Integrated Dishwasher



Baby care line
12 place settings
LCD Display

Programmes
8 Wash Programmes and 6 Wash
Temperatures: Xpress 20', Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Fingerprint free stainless steel clad panel
- Delayed start up to 24 hr
- Program follower and remaining time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Lower & upper rack handles for easy pull out
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DSN 6839 FX Extra
60 cm Semi-Integrated Dishwasher



Baby care line
15 Place Settings: 25 % more
washing capacity
LCD Display

Programmes
8 wash Programmes and 6 Wash
Temperatures: Xpress 20', Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Fingerprint free stainless steel clad panel
- Delayed start up to 24 hr
- Program follower and remaining time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- Lower & upper rack handles for easy pull out
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 14 lt



DSN 6838 X
60 cm Semi-Integrated Dishwasher



Baby care line
12 place settings
LCD Display

Programmes
8 wash Programmes and 6 Wash
Temperatures: Xpress 20', Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Stainless steel panel
- Delayed start up to 24 hr
- Program follower and remaining time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Lower & upper rack handles for easy pull out
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DSN 6834 FX
60 cm Semi-Integrated Dishwasher



Baby care line
12 place settings
LCD Display

Programmes
8 Wash Programmes and 6 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Fingerprint free stainless steel clad panel
- Delayed start up to 24 hr
- Program follower and remaining time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Lower & upper rack handles for easy pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DSN 6833 X
60 cm Semi-Integrated Dishwasher



Baby care line
12 place settings
LCD Display

Programmes
8 Wash Programmes and 6 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Stainless steel panel
- Delayed start up to 24 hr
- Program follower and remaining time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Lower & upper rack handles for easy pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DSN 6834 X Extra
60 cm Semi-Integrated Dishwasher



Baby care line
15 Place Settings: 25 % more
washing capacity
LCD Display

Programmes
8 Wash Programmes and 6 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Stainless steel panel
- Delayed start up to 24 hr
- Program follower and remaining time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- Lower & upper rack handles for easy pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 14 lt



DSN 6834 B Extra
60 cm Semi-Integrated
Dishwasher



Baby care line
15 Place Settings: 25 % more
washing capacity
LCD Display

Programmes
8 Wash Programmes and 6 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Piano black panel with stainless
steel bar handle
- Delayed start up to 24 hr
- Program follower and remaining
time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle
holder & baby cutlery tray
- Height adjustable upper basket even when
loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- Lower & upper rack handles for easy
pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 14 lt



DSN 6834 Extra
60 cm Semi-Integrated
Dishwasher



Baby care line
15 Place Settings: 25 % more
washing capacity
LCD Display

Programmes
8 Wash Programmes and 6 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Quick&Clean 60°C,
Intensive 65°C, Baby care 70°C,
Auto 40-65°C

Special Functions
Half load/Extra drying/Tablet detergent
selection

Main Features

- Pearl white panel with aluminium
bar handle
- Delayed start up to 24 hr
- Program follower and remaining
time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle
holder & baby cutlery tray
- Height adjustable upper basket even when
loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- Lower & upper rack handles for easy
pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 14 lt



DSN 6534 FX
60 cm Semi-Integrated
Dishwasher



12 place settings
LCD Display

Programmes
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C

Special Functions
Half load/Tablet detergent selection

Main Features

- Fingerprint free stainless steel clad panel
- Delayed start up to 24 hr
- Program follower and remaining
time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock

Internal Configuration

- Height adjustable upper basket even when
loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Lower rack handle for easy pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DSN 6533 X
60 cm Semi-Integrated
Dishwasher



12 place settings
LCD Display

Programmes
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C

Special Functions
Half load/Tablet detergent selection

Main Features

- Stainless steel panel
- Delayed start up to 24 hr
- Program follower and remaining
time indication
- Active fan drying
- Electronic rinse aid and salt indicators
- Electronic child lock

Internal Configuration

- Height adjustable upper basket even when
loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Lower rack handle for easy pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DSN 4530 FX
60 cm Semi-Integrated
Dishwasher



12 place settings

Programmes
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C

Special Functions
Half load

Main Features

- Fingerprint free stainless steel clad panel
- Program follower
- Active fan drying
- Rinse aid and salt indicators

Internal Configuration

- Height adjustable upper basket even when
loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- Lower rack handle for easy pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 15 lt



DSN 2521 X
60 cm Semi-Integrated
Dishwasher



12 place settings

Programmes
5 Wash Programmes and 4 wash
temperatures: Pre-wash, Mini 30' 35°C,
Eco 50 °C, Quick&Clean 60°C, Intensive 70°C

Special Functions
Half load

Main Features

- Stainless steel panel
- Program follower
- Rinse aid and salt indicators

Internal Configuration

- Height adjustable upper basket
- Height adjustable shelves for mugs
- Easy fold plate supports
- Lower rack handle for easy pull out
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 15 lt



DSN 2521 B
60 cm Semi-Integrated Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30° 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Special Functions**
Half load
- Main Features**
- Piano black panel
 - Delayed start for 3/6/9 hrs
 - Program follower
 - Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Easy fold plate supports
 - Lower rack handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 15 lt



DSN 2521
60 cm Semi-Integrated Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30° 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Special Functions**
Half load
- Main Features**
- Pearl white panel
 - Delayed start for 3/6/9 hrs
 - Program follower
 - Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable shelves for mugs
 - Easy fold plate supports
 - Lower rack handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 15 lt



DSN 2501 X
60 cm Semi-Integrated Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30° 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Stainless steel panel
 - Delayed start for 3/6/9 hrs
 - Program follower
 - Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable upper basket
 - Easy fold plate supports
 - Lower rack handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / B
 - Water Consumption: 15 lt



DSN 1521 X
60 cm Semi-Integrated Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30° 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Stainless steel panel
 - Program follower
 - Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Easy fold plate supports
 - Lower rack handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 15 lt



DSN 1501 X
60 cm Semi-Integrated Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30° 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Stainless steel panel
 - Program follower
 - Rinse and salt aid indicators
- Internal Configuration**
- Easy fold plate supports
 - Lower rack handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / B
 - Water Consumption: 15 lt



DSN 1421 X
60 cm Semi-Integrated Dishwasher



- 12 place settings
- Programmes**
4 Wash Programmes and 3 Wash
Temperatures: Pre-wash, Eco 50 °C,
Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Stainless steel panel
 - Program follower
 - Salt indicator
- Internal Configuration**
- Height adjustable upper basket
 - Plastic filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 15 lt



DSN 1401 X
60 cm Semi-Integrated
Dishwasher



DSN 1321 X
60 cm Semi-Integrated
Dishwasher



DSN 1301 X
60 cm Semi-Integrated
Dishwasher



DSN 1301 XP
60 cm Semi-Integrated
Dishwasher



DSN 1301 B
60 cm Semi-Integrated
Dishwasher



DSN 1301
60 cm Semi-Integrated
Dishwasher



12 place settings

Programmes
4 Wash Programmes and 3 Wash
Temperatures: Pre-wash, Eco 50°C,
Quick&Clean 60°C, Intensive 70°C

Main Features

- Stainless steel panel
- Program follower
- Salt indicator

Internal Configuration

- Height adjustable upper basket
- Plastic filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / B
- Water Consumption: 15 lt

12 place settings

Programmes
3 Wash Programmes and 2 Wash
Temperatures: Pre-wash, Eco 50°C,
Intensive 65°C (düzeltme)

Main Features

- Stainless steel panel
- Program follower
- Salt indicator

Internal Configuration

- Height adjustable upper basket
- Plastic filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 15 lt

12 place settings

Programmes
3 Wash Programmes and 2 Wash
Temperatures: Pre-wash, Eco 50°C,
Intensive 65°C (düzeltme)

Main Features

- Stainless steel panel
- Program follower
- Salt indicator

Internal Configuration

- Height adjustable upper basket
- Plastic filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / A
- Water Consumption: 15 lt

12 place settings

Programmes
3 Wash Programmes and 2 Wash
Temperatures: Pre-wash, Eco 50°C,
Intensive 65°C

Main Features

- Stainless steel painted plastic panel
- Program follower
- Salt indicator

Internal Configuration

- Height adjustable upper basket
- Plastic filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / B
- Water Consumption: 15 lt

12 place settings

Programmes
3 Wash Programmes and 2 Wash
Temperatures: Pre-wash, Eco 50°C,
Intensive 65°C

Main Features

- Piano black painted plastic panel
- Program follower
- Salt indicator

Internal Configuration

- Height adjustable upper basket
- Plastic filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / B
- Water Consumption: 15 lt

12 place settings

Programmes
3 Wash Programmes and 2 Wash
Temperatures: Pre-wash, Eco 50°C,
Intensive 70°C

Main Features

- Program follower
- Salt indicator

Internal Configuration

- Height adjustable upper basket
- Plastic filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / B
- Water Consumption: 15 lt



DIN 5832

60 cm Full-Integrated Dishwasher



Baby care line
12 place settings
Digital programmer

Programmes
8 Wash Programmes and 6 Wash Temperatures: Pre-wash, Mini 30' 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 65°C, Baby care 70°C, Auto 40-65°C

Special Functions
Half load

Main Features

- Delayed start up to 24 hr
- Active fan drying
- Rinse aid and salt indicators
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DIN 5832 XL

60cm Full-Integrated Dishwasher with Extra High Interior



Baby care line
12 place settings
Digital programmer

Programmes
8 Wash Programmes and 6 Wash Temperatures: Pre-wash, Mini 30' 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 65°C, Baby care 70°C, Auto 40-65°C

Special Functions
Half load

Main Features

- Delayed start up to 24 hr
- Active fan drying
- Rinse aid and salt indicators
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DIN 5832 Extra

60 cm Built-Under Dishwasher



Baby care line
15 place settings
Digital programmer

Programmes
8 Wash Programmes and 6 Wash Temperatures: Pre-wash, Mini 30' 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 65°C, Baby care 70°C, Auto 40-65°C

Special Functions
Half load

Main Features

- Fingerprint free stainless steel door
- Delayed start up to 24 hr
- Active fan drying
- Rinse aid and salt indicators
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 14 lt



DDN 5832 X

60 cm Built-Under Dishwasher



Baby care line
12 place settings
Digital programmer

Programmes
8 Wash Programmes and 6 Wash Temperatures: Pre-wash, Mini 30' 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 65°C, Baby care 70°C, Auto 40-65°C

Special Functions
Half load

Main Features

- Fingerprint free stainless steel door
- Delayed start up to 24 hr
- Active fan drying
- Rinse aid and salt indicators
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DDN 5832 XXL

60 cm Built-Under Dishwasher



Baby care line
12 place settings
Digital programmer

Programmes
8 Wash Programmes and 6 Wash Temperatures: Pre-wash, Mini 30' 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 65°C, Baby care 70°C, Auto 40-65°C

Special Functions
Half load

Main Features

- Fingerprint free stainless steel door
- Delayed start up to 24 hr
- Active fan drying
- Rinse aid and and salt indicators
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- 3-way split cutlery basket
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt



DDN 5832 Extra

60 cm Built-Under Dishwasher



Baby care line
15 place settings
Digital programmer

Programmes
8 Wash Programmes and 6 Wash Temperatures: Pre-wash, Mini 30' 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 65°C, Baby care 70°C, Auto 40-65°C

Special Functions
Half load

Main Features

- Fingerprint free stainless steel door
- Program follower and remaining time indication
- Delayed start up to 24 hr
- Active fan drying
- Rinse aid and salt indicators
- Anti-bacterial seal

Internal Configuration

- Baby Care Accessories: Baby bottle holder & baby cutlery tray
- Height adjustable upper basket even when loaded-the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate supports
- Metal filter
- Waterstop system for overflow and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 14 lt



DIN 1530
60 cm Full-Integrated
Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Special Functions**
Half load
- Main Features**
- Rinse and salt aid indicators
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Easy fold plate supports
 - Metal filter
 - Waterstop system for overflow and leakage safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 15 lt



DIN 1535 Extra
60 cm Full-Integrated
Dishwasher



- 15 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Special Functions**
Half load
- Main Features**
- Rinse and salt aid indicators
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Baby cutlery tray
 - Easy fold plate supports
 - Metal filter
 - Waterstop system for overflow and leakage safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 16 lt



DDN 1530 X
60 cm Built-Under
Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Special Functions**
Half load
- Main Features**
- Fingerprint free stainless steel door
 - Rinse aid and salt indicators
 - Program follower LEDs on door
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Easy fold plate supports
 - Metal filter
 - Waterstop system for overflow and leakage safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 15 lt



DIN 1510
60 cm Full-Integrated
Dishwasher



- 12 place settings
- Programmes**
5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Special Functions**
Half load
- Main Features**
- Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Easy fold plate supports
 - Plastic filter
 - Waterstop system for overflow and leakage safety
- Technical Information**
- Performance: A / A / B
 - Water Consumption: 15 lt



DIN 1421
60 cm Full-Integrated
Dishwasher



- 12 place settings
- Programmes**
4 Wash Programmes and 3 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Easy fold plate supports
 - Plastic filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / B
 - Water Consumption: 15 lt



DIN 1401
60 cm Full-Integrated
Dishwasher



- 12 place settings
- Programmes**
4 Wash Programmes and 3 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable upper basket
 - Height adjustable shelves for mugs
 - Easy fold plate supports
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 15 lt



DSS 6830 X
45 cm Semi-Integrated Dishwasher



- 10 place settings
LCD Display
- Programmes**
8 Wash Programmes and 6 Wash Temperatures:
Pre-wash, Mini 30’ 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 65°C, Baby care 70°C, Auto 55-65°C
- Special Functions**
Half load/ Tablet detergent selection
- Main Features**
- Fingerprint free stainless steel panel
 - Delayed start up to 24 hr
 - Program follower and remaining time indication
 - Electronic rinse aid and salt indicators
 - Electronic child lock
 - Anti-bacterial seal
- Internal Configuration**
- Height adjustable upper basket
 - 4 shelves of upper rack
 - Lower rack folding tines
 - Lower handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 12 lt



DSS 6630 X
45 cm Semi-Integrated Dishwasher



- 10 place settings
LCD Display
- Programmes**
6 Wash Programmes and 5 Wash Temperatures: Pre-wash, Mini 30’ 35°C, Delicate 40°C, Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Special Functions**
Half load/Tablet detergent selection
- Main Features**
- Fingerprint free stainless steel panel
 - Delayed start up to 24 hr
 - Program follower and remaining time indication
 - Electronic rinse aid and salt indicators
 - Electronic child lock
 - Anti-bacterial seal
- Internal Configuration**
- Height adjustable upper basket
 - 4 shelves of upper rack
 - Lower rack folding tines
 - Lower handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 12 lt



DSS 2521 X
45 cm Semi-Integrated Dishwasher



- 10 place settings
- Programmes**
5 Wash Programmes and 4 Wash Temperatures: Pre-wash, Mini 30’ 35°C, Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Stainless steel panel
 - Delayed start for 3/6/9 hrs
 - Program follower
 - Rinse aid and salt indicators
- Internal Configuration**
- Height adjustable upper basket
 - 4 shelves of upper rack
 - Lower rack folding tines
 - Lower rack handle for easy pull out
 - Metal filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / A
 - Water Consumption: 13 lt



DSS 2501 X
45 cm Semi-Integrated Dishwasher



- 10 place settings
- Programmes**
5 Wash Programmes and 4 Wash Temperatures: Pre-wash, Mini 30’ 35°C, Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Stainless steel panel
 - Program follower
 - Salt indicator
- Internal Configuration**
- Height adjustable upper basket
 - 4 shelves of upper rack
 - Lower rack cutlery basket and separator
 - Lower rack folding tines
 - Lower rack handle for easy pull out
 - Plastic filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / B
 - Water Consumption: 13 lt



DSS 2501 XP
45 cm Semi-Integrated Dishwasher



- 10 place settings
- Programmes**
5 Wash Programmes and 4 Wash Temperatures: Pre-wash, Mini 30’ 35°C, Eco 50°C, Quick&Clean 60°C, Intensive 70°C
- Main Features**
- Stainless steel painted plastic panel
 - Program follower
 - Salt indicator
- Internal Configuration**
- Height adjustable upper basket
 - 4 shelves of upper rack
 - Lower rack folding tines
 - Lower rack handle for easy pull out
 - Plastic filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / B
 - Water Consumption: 13 lt



DSS 1301 X
45 cm Semi-Integrated Dishwasher

- 10 place settings
- Programmes**
3 Wash Programmes and 2 Wash Temperatures: Pre-wash, Eco 50°C, Intensive 65°C
- Main Features**
- Stainless steel panel
 - Program follower
 - Salt indicator
- Internal Configuration**
- Height adjustable upper basket
 - 4 shelves of upper rack
 - Plastic filter
 - Watersafe system for overflow safety
- Technical Information**
- Performance: A / A / B
 - Water Consumption: 13 lt



DSS 1301 XP
45 cm Semi-Integrated
Dishwasher



DIS 5830
45 cm Full-Integrated
Dishwasher



DIS 1520
45 cm Full-Integrated
Dishwasher



DIS 1501
45 cm Full-Integrated
Dishwasher



DIS 1300
45 cm Full-Integrated
Dishwasher



10 place settings

Programmes

3 Wash Programmes and 2 Wash
Temperatures: Pre-wash, Eco 50°C,
Intensive 65°C

Main Features

- Stainless steel painted plastic panel
- Program follower
- Salt indicator

Internal Configuration

- Height adjustable upper basket
- 4 shelves of upper rack
- Plastic filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / B
- Water Consumption: 13 lt
- Energy Consumption: 1.01 kWh
- Easy door balancing system
- Product Dimensions (hxxwxd):
820-920 x 448 x 548 mm

10 place settings
Digital programmer

Programmes

8 Wash Programmes and 6 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Delicate 40°C, Eco 50°C, Normal 55°C,
Intensive 70°C, Hygienic wash 70°C,
Auto 55-65°C

Special Functions

Half load

Main Features

- Delayed start up to 24 hr
- Program follower and remaining
time indication
- Rinse aid and salt indicator
- Electronic child lock

Internal Configuration

- Height adjustable upper basket
- 4 shelves of upper rack
- Lower handle for easy pull out
- Waterstop system for overflow
and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 12 lt

10 place settings

Programmes

5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C

Main Features

- Rinse aid and salt indicators

Internal Configuration

- Height adjustable upper basket
- 4 shelves of upper rack
- Lower rack folding tines
- Lower rack handle for easy pull out
- Metal filter
- Waterstop system for overflow
and leakage safety

Technical Information

- Performance: A / A / A
- Water Consumption: 13 lt

10 place settings

Programmes

5 Wash Programmes and 4 Wash
Temperatures: Pre-wash, Mini 30' 35°C,
Eco 50°C, Quick&Clean 60°C, Intensive 70°C

Main Features

- Rinse aid and salt indicators

Internal Configuration

- Height adjustable upper basket
- 4 shelves of upper rack
- Metal filter
- Waterstop system for overflow
and leakage safety

Technical Information

- Performance: A / A / B
- Water Consumption: 13 lt

10 place settings

Programmes

3 Wash Programmes and 2 Wash
Temperatures: Pre-wash, Eco 50°C,
Intensive 65°C

Main Features

- Rinse aid and salt indicators

Internal Configuration

- Height adjustable upper basket
- 4 shelves of upper rack
- Metal filter
- Watersafe system for overflow safety

Technical Information

- Performance: A / A / B
- Water Consumption: 13 lt





Functional inside, beautiful outside

Functional interior

Beko built-in refrigerators are equipped with a number of functional accessories:

- Chrome-coated wine rack
- Safety glass shelves
- See-through freezer compartments with colourless transparent front
- Zero-degree chiller compartment

Spill-proof glass shelves

Made of tempered safety glass, adjustable glass shelves are:

- Versatile enough to permit the maximum usage of the available space
- Strong and durable
- Spill-proof and extremely easy to clean



Energy Saving

Selected models feature **A+ energy efficiency** class. An A+ energy efficiency class refrigerator **consumes** up to **24% less** than an identical A class refrigerator.



Silver protection for extra hygiene

The antibacterial silver ion coating on the inner liner of the fridge prevents the accumulation of harmful microorganisms, bacteria, and unwanted smells.



Frost-free system

The frost-free system eliminates the formation of ice on food and in the interior of the appliance, which means that no defrosting is required. You can enjoy the hassle-free lifelong use of your product without all those tedious de-icing procedures.



Drawer type construction

The Beko built-in cooling range includes a drawer-type larger fridge (BUDL 700) and a drawer type frost-free freezer (BUDZ 700). Drawer type built-under models feature two drawers with telescopic rails that can be completely taken out, whether to organize the food inside or for cleaning purposes. The interiors are functionally designed for better organisation of food, and the units can be placed under the counter close to the hob or sink for easier access to fresh or frozen food during meal preparation.



CBI 7771
177 cm Built-In Refrigerator
Frost Free Combi Fridge Freezer



- Fridge**
- 193 lt net fridge volume
 - Silver protection
 - Chrome bottle rack
 - Zero degree compartment
 - Interior light
 - Height adjustable safety glass shelves
 - 3 full width door racks
 - Egg tray
 - 2 transparent crispers
- Freezer**
- 49 lt net freezer volume
 - 3 freeze compartments
 - Ice cube tray
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy efficiency class: A+
 - Climate class: SN-T
 - Product Dimensions (h x w x d): 1770 x 540 x 535 mm



CBI 7730
177 cm Built-In Refrigerator
Frost Free Combi Fridge Freezer



- Fridge**
- 155 lt net fridge volume
 - Interior lighting
 - Silver protection
 - Chrome bottle rack
- Freezer**
- 62 lt net freezer volume
 - 4 freeze compartments
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (h x w x d): 1770 x 540 x 535 mm



CBI 7701
177 cm
Built-In Refrigerator



- Fridge**
- 180 lt net fridge volume
 - Silver protection
 - 19 lt zero degree compartment volume
 - Chrome bottle rack
 - Interior light
 - Height adjustable safety glass shelves
 - 3 full width door racks
 - Egg tray
 - 2 transparent crispers
- Freezer**
- 55 lt net freezer volume
 - 3 freeze compartments
 - Ice cube tray
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A+
 - Climate Class: SN-ST
 - Product Dimensions (h x w x d): 1770 x 540 x 535 mm



CBI 7700 HCA
177 cm Built-In Refrigerator
Combi Fridge Freezer



- Fridge**
- 189 lt net fridge volume
 - Silver protection
 - Bottle holder
 - Interior light
 - Height adjustable safety glass shelves
 - 4 full width door racks
 - Egg tray
 - 2 transparent crispers
- Freezer**
- 55 lt net freezer volume
 - 3 freeze compartments
 - Ice cube tray
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (h x w x d): 1770 x 540 x 535 mm



CBI 7740
177 cm Built-In Refrigerator
Combi Fridge Freezer



- Fridge**
- 155 lt net fridge volume
 - Interior lighting
 - Silver protection
 - Chrome bottle rack
- Freezer**
- 69 lt net freezer volume
 - 4 freeze compartments
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (h x w x d): 1770 x 540 x 535 mm



RBI 6301
144 cm Built-In Refrigerator
Top Mount Fridge Freezer



- Fridge**
- 170 lt net volume
 - Silver protection
 - Interior light
 - Chrome bottle rack
 - Height adjustable safety glass shelves
 - 3 full width door racks
 - Egg tray
 - 2 transparent crispers
- Freezer**
- 45 lt net freezer volume
 - Ice cube tray
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency class: A +
 - Climate Class: SN-ST
 - Product Dimensions (h x w x d): 1440 x 540 x 535 mm



RBI 6300 HCA
144 cm Built-In Refrigerator
Top Mount Fridge Freezer



- Fridge**
- 170 lt net volume
 - Interior light
 - Bottle holder
 - Height adjustable safety glass shelves
 - 3 full width door racks
 - Egg tray
 - 2 transparent crispers
- Freezer**
- 45 lt net freezer volume
 - Ice cube tray
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (h x w x d): 1440 x 540 x 535 mm



RBI 6100 HCA
121 cm Built-In
FridgeFreezer



- Fridge**
- 2 door fridge with 125 lt net volume
 - Silver protection
 - Interior light
 - Bottle holder
- Freezer**
- 45 lt net freezer volume
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (h x w x d): 1210 x 540 x 535 mm



RBI 2300 HCA
121 cm Built-In Refrigerator
Single Door Fridge Freezer



- Fridge**
- 164 lt net volume
 - Silver protection
 - Interior light
 - Height adjustable safety glass shelves
 - 4 full width door racks
 - Egg tray
 - 2 transparent crispers
- Freezer**
- 20 lt net freezer volume
 - Ice cube tray
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (h x w x d): 1210 x 540 x 535 mm



B 1751
86 cm Built-In
Fridge Freezer



- Fridge**
- 97 lt net volume
 - Silver protection
 - Interior light
 - Height adjustable safety glass shelves
 - 3 full width door racks
 - Egg tray
 - 2 transparent crispers
- Freezer**
- 13 lt net freezer volume
 - Ice cube tray
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A +
 - Climate Class: SN
 - Product Dimensions (h x w x d): 860 x 540 x 548 mm

B 1750 HCA: A energy efficiency and w/o silver protection



LBI 3000 HCA
177 cm Built-In
Refrigerator



- Fridge**
- Larder fridge with 310 lt net volume
 - Interior lighting
 - Silver protection
 - Chrome bottle rack
- Built Details**
- Reversible doors
 - Integrated hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN-T
 - Product Dimensions (h x w x d): 1765 x 540 x 535 mm



LBI 2200 HCA
121 cm Built-In
Refrigerator



- Fridge**
- Tall larder fridge with 204 lt net volume
 - Silver protection
 - Interior light
 - Height adjustable safety glass shelves
 - 4 full width door racks
 - Egg tray
 - 2 transparent crispers
- Built Details**
- Reversible doors
 - Sliding hinges
- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (h x w x d): 1210 x 540 x 535 mm



B 1801
86 cm
Built-In Larder



- Fridge**
- Larder fridge with 126 lt net volume
 - Silver protection
 - Interior light
 - Height adjustable safety glass shelves
 - 3 full width door racks
 - Transparent crisper

- Built Details**
- Reversible doors
 - Sliding hinges

- Technical Information**
- Energy Efficiency Class: A +
 - Climate Class: SN-T
 - Product Dimensions (hwxwd): 860 x 540 x 548 mm

B 1800 HCA: A energy efficiency and w/o silver protection



BU 1150 HCA
82 cm Built-Under Refrigerator
Fridge Freezer



- Fridge**
- 105 lt net volume
 - Interior light
 - Silver protection
- Freezer**
- 18 lt net freezer volume

- Built Details**
- Reversible doors
 - Integrated hinges

- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (hwxwd): 820 x 598 x 545 mm



BU 1100 HCA
82 cm Built-Under
Refrigerator



- Fridge**
- Larder fridge with 128 lt net volume
 - Interior light
 - Height adjustable glass shelves
 - 2 full width door racks
 - Egg tray
 - Large recessed salad crisper
 - Silver protection

- Built Details**
- Reversible doors
 - Integrated hinges

- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (hwxwd): 820 x 598 x 545 mm



FBI 5850
177 cm Built-In Frost Free Freezer
Electronic Control



- Freezer**
- 196 lt net freezer volume

- Built Details**
- Reversible doors
 - Integrated hinges

- Technical Information**
- Energy Efficiency Class: A+
 - Climate Class: SN-T
 - Product Dimensions (hwxwd): 1765 x 540 x 535 mm



B 1940
86 cm Built-In Frost
Free Freezer



- Freezer**
- 75 lt net freezer volume
 - 3 compartments
 - Ice bank&rice cube tray

- Built Details**
- Reversible doors
 - Sliding hinges

- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (hwxwd): 860 x 540 x 548 mm



B 1901
86 cm Built-In
Freezer



- Freezer**
- 85 lt net freezer volume
 - 3 compartments
 - Ice bank&rice cube tray

- Built Details**
- Reversible doors
 - Sliding hinges

- Technical Information**
- Energy Efficiency Class: A +
 - Climate Class: SN-T
 - Product Dimensions (hwxwd): 860 x 540 x 548 mm

B 1900 HCA: A energy efficiency



BU 1200 HCA
82 cm Built-Under Freezer
Electronic Control



- Freezer**
- 87 lt net freezer volume
 - 4 compartments including recessed storage area
 - Sliding tray to freeze and store small items
 - Ice cube tray

- Built Details**
- Reversible doors
 - Integrated hinges

- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN
 - Product Dimensions (hwxwd): 820 x 598 x 545 mm



WBI 1200
87 cm Table Top Wine Cooler
Electronic Control

- Wine Cooler**
- 36 bottles capacity
 - Interior lighting
 - 4 wooden shelves
 - 2 wire bottle holders
 - Carbon filter
 - Illumination with white LED

- Built Details**
- Glass door with UV filter
 - Integrated hinges

- Technical Information**
- Climate Class: SN
 - Product Dimensions (hwxwd): 865 x 540 x 525 mm



BUDL 700
Drawer Type Larder
Fridge



- Fridge**
- Electronic control larder fridge with 94 lt net volume
 - Active cool system
 - 2 telescopic removable drawers
 - Separators
 - Storage boxes

- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN-T
 - Product Dimensions (hwxwd): 813-863 x 598 x 545 mm



BUDZ 700
Drawer
Type Freezer



- Freezer**
- Frost Free electronic control freeze 72 lt net volume
 - Active freeze system
 - 2 telescopic removable drawers
 - Separators
 - Storage boxes
 - Icemaker and icebox

- Technical Information**
- Energy Efficiency Class: A
 - Climate Class: SN-T
 - Product Dimensions (hwxwd): 813-863 x 598 x 545 mm





GNE 114610 FX
182 cm 4 Door Side by Side
Fridge Freezer



- Fridge**
- 380 lt net volume
 - 3 sliding safety glass shelves
 - 8 full width door racks
 - Active odour filter
 - Active ioniser
 - Silver protection
 - Active fresh blue light
 - Active seal guard
 - 0°C compartment
 - Sliding crispers

- Freezer**
- 184 lt net freezer volume including joker compartment
 - Twist&Serve Icecube Tray
 - Fresh freezing compartment
 - 6 compartments

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,511 kW/24 hr
 - Freezing Capacity: 10 kg/24 hr
 - Climatic Class: SN/T
 - Product Dimensions (h x w x d): 1820 x 920 x 765 mm



GNE 45730 FX
178 cm Side by Side
Fridge Freezer



- Fridge**
- 383 lt net volume
 - 5 sliding safety glass shelves
 - 4 full width door racks
 - Snack drawer
 - Active odour filter
 - Active ioniser
 - Silver protection
 - Active fresh blue light
 - Active seal guard
 - 0°C compartment
 - Minibar
 - Sliding crisper

- Freezer**
- 146 lt net freezer volume
 - Interior light
 - Water&Ice dispenser
 - Fresh freezing compartment
 - 3 compartments

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,449 kW/24 hr
 - Freezing Capacity: 13 kg/24 hr
 - Climatic Class: SN
 - Product Dimensions (h x w x d): 1775 x 925 x 740 mm



GNE 45720 B
178 cm Side by Side
Fridge Freezer



- Fridge**
- 383 lt net volume
 - 5 sliding safety glass shelves
 - 4 full width door racks
 - Snack drawer
 - Active odour filter
 - Active ioniser
 - Silver protection
 - Active fresh blue light
 - Active seal guard
 - 0°C compartment
 - Minibar
 - Sliding crisper

- Freezer**
- 146 lt net freezer volume
 - Interior light
 - Water&Ice dispenser
 - Fresh freezing compartment
 - 3 compartments

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,449 kW/24 hr
 - Freezing Capacity: 13 kg/24 hr
 - Climatic Class: SN
 - Product Dimensions (h x w x d): 1775 x 925 x 740 mm



GNE 35730 X
178 cm Side by Side
Fridge Freezer



- Fridge**
- 383 lt net volume
 - 5 sliding safety glass shelves
 - 5 full width door racks
 - Snack drawer
 - Active odour filter
 - Active ioniser
 - Silver protection
 - Active fresh blue light
 - Active seal guard
 - 0°C compartment
 - Bottle rack
 - Sliding crisper

- Freezer**
- 146 lt net freezer volume
 - Interior light
 - Water&Ice dispenser
 - Fresh freezing compartment
 - 3 compartments

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,449 kW/24 hr
 - Freezing Capacity: 13 kg/24 hr
 - Climatic Class: SN
 - Product Dimensions (h x w x d): 1775 x 925 x 740 mm



GNE 25800 S
178 cm Side by Side
Fridge Freezer



- Fridge**
- 375 lt net volume
 - 5 sliding safety glass shelves
 - 4 full width door racks
 - Snack drawer
 - Active odour filter
 - Silver protection
 - Active seal guard
 - Active fresh blue light
 - 0°C compartment
 - Stored water dispenser
 - Bottle rack
 - Sliding crisper

- Freezer**
- 179 lt net freezer volume
 - Interior light
 - Twist&Serve ice cube tray
 - 2 compartments

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,523 kW/24 hr
 - Freezing Capacity: 13 kg/24 hr
 - Climatic Class: SN/T
 - Product Dimensions (h x w x d): 1775 x 925 x 740 mm



DNE 65500 DPX
184 cm Double Door
Fridge Freezer



- Fridge**
- 382 lt net volume
 - 3 glass shelves
 - 4 full width door racks
 - Stored water dispenser
 - Select&Cool compartment
 - 0°C compartment
 - Bottle rack
 - Active odour filter
 - Active ioniser
 - Silver protection
 - Auto defrost

- Freezer**
- 143 lt net freezer volume
 - 1 tilt-out door rack
 - Twist&Serve ice cube tray with easy filling cartridges
 - Fresh freeze compartment
 - Auto defrost

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,425 kW/24 hr
 - Freezing Capacity: 10 kg/24hr
 - Climatic Class: T
 - Product Dimensions (h x w x d): 1835 x 840 x 745 mm



DNE 47560 DS
192 cm Double Door
Fridge Freezer



- Fridge**
- 350 lt net volume
 - 4 glass shelves
 - 4 small & 3 full width door racks
 - 0°C compartment
 - 3 tilt out bins under door rack
 - Bottle rack
 - Rotating crisper
 - Stored water dispenser
 - Active odour filter
 - Active ioniser
 - Silver protection
 - Auto defrost

- Freezer**
- 90 lt net freezer volume
 - Twist&Serve ice cube tray
 - Auto defrost

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,219 kW/24 hr
 - Freezing Capacity: 5 kg/24 hr
 - Climatic Class: SN-T
 - Product Dimensions (hxwx): 1915 x 700 x 680 mm



DNE 50420 X
189 cm Double Door
Fridge Freezer



- Fridge**
- 355 lt net volume
 - 4 glass shelves
 - 5 full width door racks
 - 0°C compartment
 - 3 tilt out bins under door rack
 - Bottle rack
 - Rotating crisper
 - Active odour filter
 - Silver protection
 - Auto defrost

- Freezer**
- 90 lt net freezer volume
 - Twist&Serve ice cube tray
 - Auto defrost

- Technical Information**
- Energy Efficiency Class: A +
 - Energy Consumption: 1,036 kW/24 hr
 - Freezing Capacity: 6 kg/24 hr
 - Climatic Class: SN-T
 - Product Dimensions (hxwx): 1890 x 700 x 680 mm



DNE 47020 X
179 cm Double Door
Fridge Freezer



- Fridge**
- 325 lt net volume
 - 3 glass shelves
 - 4 full width door racks
 - 3 tilt out bins under door rack
 - Bottle rack
 - Rotating crisper
 - Active odour filter
 - Active ioniser
 - Silver protection
 - Auto defrost

- Freezer**
- 90 lt net freezer volume
 - Twist&Serve ice cube tray
 - Auto defrost

- Technical Information**
- Energy Efficiency Class: A+
 - Energy Consumption: 0,945 kW/24 hr
 - Freezing Capacity: 6 kg/24hr
 - Climatic Class: SN-T
 - Product Dimensions (hxwx): 1815 x 700 x 680 mm



DNE 43020 X
169 cm Double Door
Fridge Freezer



- Fridge**
- 295 lt net volume
 - 3 glass shelves
 - 4 full width door racks
 - 3 tilt out bins under door rack
 - Rotating crisper
 - Active odour filter
 - Silver protection
 - Auto defrost

- Freezer**
- 90 lt net freezer volume
 - Auto defrost

- Technical Information**
- Energy Efficiency Class: A+
 - Energy Consumption: 0.912 kW/24 hr
 - Freezing Capacity: 6 kg/24 hr
 - Climatic Class: SN-T
 - Product Dimensions (hxwx): 1690 x 700 x 680 mm



CNE 32100 X
185 cm Combi
Fridge Freezer



- Fridge**
- 205 lt net volume
 - 3 glass shelves
 - 4 full width door racks
 - Bottle rack
 - 2 tilt out bins under door rack
 - Dairy compartment
 - Silver protection
 - Auto defrost

- Freezer**
- 68 lt net freezer volume
 - Icebank
 - 3 compartments

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 0,947 kW/24 hr
 - Freezing Capacity: 8 kg/24 hr
 - Climatic Class: SN
 - Product Dimensions (hxwx): 1845 x 600 x 600 mm



CHE 42200 DPX
191 cm Combi
Fridge Freezer



- Fridge**
- 298 lt net volume
 - 3 glass shelves
 - 3 full width, 2 half width door racks
 - Bottle rack
 - Stored water dispenser
 - Fan assisted cooling
 - Silver protection
 - Auto defrost

- Freezer**
- 86 lt net freezer volume
 - Twist&Serve ice cube tray
 - 3 compartments

- Technical Information**
- Energy Efficiency Class: A
 - Energy Consumption: 1,063 kW/24 hr
 - Freezing Capacity: 4 kg/24 hr
 - Climatic Class: SN
 - Product Dimensions (hxwx): 1910 x 700 x 625 mm



CSE 34000 X

185 cm Combi
Fridge Freezer



Fridge

- 205 lt net volume
- 3 glass shelves
- 4 full width door racks
- Bottle rack
- 2 tilt out bins under door rack
- Dairy compartment
- Silver protection
- Auto Defrost

Freezer

- 78 lt net freezer volume
- Icebank
- 3 compartments

Technical Information

- Energy Efficiency Class: A
- Energy Consumption: 0,898 kW/24 hr
- Freezing Capacity: 5 kg/24 hr
- Climatic Class: SN
- Product Dimensions (hwxwd):
1845 x 600 x 600 mm

